



# Vaccine Fact Sheet

## PCV13

<b>Brand Name and Manufacturer</b>	Prevnar 13® Wyeth/Pfizer
<b>Protects Against</b>	13 types of pneumococcal bacteria which can cause meningitis, blood infections and pneumonia
<b>Routine Schedule</b>	Four (4) dose series: 2, 4, 6 and 12-15 months
<b>Minimum Intervals</b>	For children <12 months, 4 week minimum interval between doses For children >12 months, 8 weeks between doses
<b>Approved for use in</b>	Children aged 6 weeks through 5 years
<b>Administration</b>	Intramuscular (IM) injection
<b>Packaging</b>	Vaccine is packaged as 10 single-dose 0.5mL pre-filled disposable syringes
<b>Storage</b>	Refrigerate between 36°F and 46°F (2°C to 8°C) <b>DO NOT FREEZE</b>
<b>Full ACIP Recommendations</b>	<a href="https://www.cdc.gov/vaccines/hcp/acip-recs/vacc-specific/index.html">https://www.cdc.gov/vaccines/hcp/acip-recs/vacc-specific/index.html</a>
<b>VFC Letter</b>	<a href="http://www.eziz.org/PDF/13ValentPneumococcalConjugateVac.pdf">http://www.eziz.org/PDF/13ValentPneumococcalConjugateVac.pdf</a>
<b>Billing Codes*</b>	CHDP code: 88 CPT code for vaccine: 90670 CPT code for administration: 90460 Medi-Cal Fee-For-Service (FFS) administration: 90670 with modifiers –SK (high-risk) and –SL (VFC) ICD-10-CM code (encounter for immunization): Z23 * <a href="http://www.aafp.org/practice-management/payment/coding/admin.html">http://www.aafp.org/practice-management/payment/coding/admin.html</a>
<b>Comments</b>	<ul style="list-style-type: none"><li>• Licensed in 2010.</li><li>• DO NOT administer PCV13 and PPSV23 at the same visit.</li><li>• For children ages 2-18 years, refer to <a href="#">Pneumococcal Vaccine Timing—For Children, IMM-1159</a>.</li><li>• Routinely recommended for children ages 2-59 months.</li><li>• Recommended for children ages 60 months through 71 months with increased risk of pneumococcal disease or its complications.</li><li>• Recommended for children ages 6 years through 18 years with sickle cell disease, HIV infection or other immunocompromising conditions, cochlear implants or CSF leaks.</li><li>• For adults ages 19 and older, refer to <a href="#">Pneumococcal Vaccine Timing—For Adults, IMM-1152</a>.</li></ul>