Vaccine Fact Sheet
MMRV

Protects Against	Measles, Mumps, Rubella and Varicella
Brand Name and Manufacturer	ProQuad® (MMRV) Merck
Routine Schedule	MMR and varicella vaccines at 12-15 months*; second dose MMRV at 4-6 years.
Minimum Intervals	At least 1 month between a dose of a measles-containing vaccine, i.e. MMR, and a dose of ProQuad®. At least 3 months should elapse between a dose of varicella-containing vaccine and a dose of ProQuad®.
Approved for use in	Persons aged 12 months through 12 years of age
Administration	Subcutaneous (SC) injection
Packaging	Vaccine is packaged as 10 single-dose vials of lyophilized vaccine (Package A) and a separate package of 10 vials of sterile water diluent (Package B)
Storage	Store frozen between -58°F and +5°F (-50°C to -15°C). **STORE IN FREEZER** **PROTECT VACCINE FROM LIGHT**
Full ACIP Recommendations	http://www.cdc.gov/mmwr/pdf/rr/rr5903.pdf
VFC Letter	http://eziz.org/assets/docs/vfcletter_2012_11_CombinedMMRV.pdf
Billing Codes	CHDP code: 74 CPT Code for vaccine: 90710 CPT code for administration with counseling under 8 years of age: 90460 or 90461 CPT code for administration without counseling under 8 years of age: 90471 or 90472 Medi-Cal Fee For Service (FFS) administration: 90710 ICD-9 CM code: V06.4 and V05.4 or V06.8
Comments	• Use only the Merck sterile diluent to reconstitute lyophilized vaccine. • Use only the Merck sterile diluent to reconstitute lyophilized vaccine. • Store sterile diluent separately at room temperature (68°F to 77°F) or in the refrigerator. • Varicella vaccine must be used within 30 minutes of reconstitution. * Unless parent or caregiver expresses a preference for MMRV as the first dose, administer MMR and varicella. For first doses given at 48 months or older, MMRV is generally preferred. See ACIP recommendations for details.

VFC
EZIZ.ORG
This publication was supported by Grant Number H23/CCH922507 from the Centers for Disease Control and Prevention (CDC).
Its contents are solely the responsibility of the authors and do not necessarily represent the official views of CDC.