California Department of Public Health Vaccines for Children Provider Webinar




Thursday, February 3, 2022 4PM-5PM



Q&A: VFC Provider Webinar

During today's session, please use the **Q&A panel** to ask your questions, so our subject matter experts can respond directly.







Housekeeping

Reminder to Panelists:



Please mute yourself when not speaking.

Please monitor the Q&A panel for questions you may be able to answer.

Reminder to Participants:



Today's session is being recorded. Access today's slides and archived presentations at: https://eziz.org/covid/education/



Agenda: Thursday, February 3, 2022

1								
No.	Item	Speaker	Time (PM)					
1	Welcome	Leslie Amani (Moderator)	4:00 – 4:05					
2	Current State: COVID-19 Pandemic & Pediatric Vaccination	Erica Pan, M.D., MPH (State Epidemiologist, CDPH)	4:05 – 4:20					
3	Funding: Additional Opportunities	Nisha Gandhi (CDPH) & Pearlie Beltran (PHC)	4:20 – 4:30					
	Poll							
4	Become a COVID-19 Vaccine Provider	Amy Lara (CDPH)	4:30 – 4:40					
5	Storage & Handling: Simplified Guidelines	Alan Hendrickson (CDPH)	4:40 – 4:45					
6	FAQs: CA COVID-19 Vaccination Program	Nisha Gandhi (CDPH)	4:45 – 4:50					
	Q&A & Poll							
7	Wrap-up	Leslie Amani (Moderator)	4:55 – 5:00					



Current State of COVID-19 Pandemic & Pediatric Vaccination

Erica Pan, MD, MPH, FAAP

CDPH State Epidemiologist

Deputy Director, Center for Infectious Diseases

Clinical Professor, UCSF Pediatric Infectious Diseases





Why Vaccinate Children Against COVID-19?





COVID-19 is a Childhood Illness

- 4x more deaths than flu
- 11x higher risk of hospitalization for unvaccinated children
- Poorest neighborhoods are far behind
- 65% of kids not vaccinated

MAKE NO MISTAKE COVID-19 IS A CHILDHOOD ILLNESS



COVID-19 CAN BE SERIOUS FOR KIDS.



4X MORE DEATHS THAN FLU


800 DEATHS

8,300 HOSPITALIZATIONS

Over 800 children have died from COVID-19 in the US, compared to approximately 200 pediatric flu deaths over the past two years. About 1 in 3 children hospitalized with COVID-19 in the US were admitted to the ICU, similar to the rate among adults.

11X HIGHER RISK OF HOSPITALIZATION

COVID-19 associated hospitalizations in unvaccinated children are 11x higher than fully vaccinated.






PEDIATRIC VACCINATION COVERAGE IS LOW, ESPECIALLY FOR CALIFORNIA'S MOST VULNERABLE CHILDREN

65% OF KIDS NOT VACCINATED

Over 65% of California children ages 5-11 years have yet to receive I dose of COVID-19 vaccine, leaving most children vulnerable to Omicron and future variants likely to follow.



Only about 21% of children in California's poorest neighborhoods are vaccinated against COVID-19 compared to 64% in wealthiest neighborhoods.



Children, ages 5-11 (as of January 26, 2022).




California COVID-19 Vaccination Program

IMM-1415-VFC (1/26/2)




Daily COVID+ Admissions in Children Aged 0-17 Years, California






Rates of Cases, Hospitalizations, and Deaths by Vaccination Status Among Ages 5-11 - November 3, 2021 to January 23, 2022





COVID-19 and Multisystem Inflammatory Syndrome in Children (MIS-C)

- Usually presents about 2-6 weeks post COVID-19 infection.
- >800 reported in CA to date
- ~1/2 previously healthy
- ~1/2 admitted to ICU
- Co-morbidities include obesity, lung disease, congenital heart disease or other malformation, seizures, or cancer






CDC COVID Data Tracker: MIS-C

COVID-19 vaccination protects against multisystem inflammatory syndrome in children (MIS-C) among 12–18 year-olds hospitalized during July–December 2021







COVID-19 VACCINATION IS THE BEST PROTECTION AGAINST MIS-C




* Case control study, 258 patients in 24 perfects in patients — 28 U.S. states * 2 doses of Place-BioRillech souther reserved to 28 days before hospital admission

bit.ly/MMWR7102





COVID-19 Vaccine and Booster Effectiveness in California





COVID-19 Vaccine are Safe for Children



Summary of VAERS findings-Reports after Pfizer-BioNTech COVID-19 Vaccination Among Children and Adolescents Ages 5-11 and Ages 12-15 Years

- Since authorization, 8.7 million doses of Pfizer-BioNTech COVID-19 vaccine were administered to children ages 5-11 years, and 18.7 million doses to children and adolescents ages 12-15 years, in the United States.
- Regardless of age group, most reports (≥92%) were non-serious
 - Distribution by sex, race, and ethnicity is similar between two age groups
 - Most frequently reported adverse events (AEs) were known and well-characterized AEs associated with Pfizer-BioNTech COVID-19 vaccination, or consistent with vaccination errors or workup for myocarditis or MIS-C
 - Reported myocarditis among children ages 5-11 years:
 - Male predominance and mostly after dose 2, similar to older age groups
 - Reporting rates for males ages 5-11-years substantially lower for males ages 12-17 years.
- CDC will continue monitoring COVID-19 vaccine safety among these age groups.





8.7 million* COVID-19 vaccinations have been given to children ages 5-11 years old

Health check-ins to v-safe completed for over 42,000 children after vaccination[†]

Side effects were common but mild and brief⁶



Pain where shot was given



Fatigue



Headache



Mild side effects are a normal sign the body is building protection



Few myocarditis cases have been reported



Vaccination is the best way to protect children from COVID-19 complications



* As of December 19, 2021

* V-safe, a voluntary smartphone vaccine safety monitoring system

* After the 2nd dose, about 2/3 children had a local reaction such as arm pain; 1/3 had a reaction beyond the injection site

bit.ly/MMWR705152a1







Vaccine Equity Ages 5-to-11

67% of children aged 5-to-11 in California have yet to receive 1 dose of the COVID-19 vaccine

VEM/HPI Q4 vs Q1 Equity Gap

- 32% gap between Q4 and Q1 youth
- Q1 youth 1/3 less likely to be vaccinated than their Q4 counterparts







Top 5 Reason to Get Kids Vaccinated



Unvaccinated children are at risk of getting COVID-19, + potential serious complications, and/or long-term impacts.



The vaccine is safe and effective, and no long-term problems have been seen for any vaccine.



Getting those who are eligible vaccinated can help keep schools & communities safe.



Getting them safely back to the classroom and their favorite afterschool activities

supports mental health & wellness.



Vaccines are safe, effective, and free






Role of Medical Practices in Pediatric Vaccination

5-to-11-year-olds are more likely to be vaccinated at a Medical Practice than the general population.


People living in Q4 (healthier) areas are more likely to be vaccinated by a Medical Practice than people living in Q1 (less healthy) areas.





VFC Participation in COVID-19 Vaccination

- Over half of all VFC providers are either not enrolled in myCAvax or not administering
- 65% of VFC providers serving HPI Q1 and Q2 are not enrolled or not administering





VFC Providers are Needed

- Pfizer EUA authorization for children under 5 could occur by the end of February or the beginning of March
- California COVID-19 school vaccination requirement coming when FDA grants full approval for Pfizer vaccine for children under 16 years of age.

The time for vaccinating children is now!



YOU CAN SAVE LIVES NOW BY PARTICIPATING IN THE COVID-19 VACCINATION PROGRAM



40% OF VFC PROVIDERS

OF VFC PROVIDERS NOT GIVING COVID-19 VACCINE

- Many VFC providers have yet to enroll in the COVID-19 Vaccination Program, leaving many vulnerable children without access in their medical home. Enroll today!
- Many VFC providers enrolled in the COVID-19 vaccine program haven't ordered vaccine. Once enrolled, start ordering and administering vaccine!
- More access to vaccine is needed: Pharmacy appointments and school clinics are helpful but not enough to reach many children.







California COVID-19 Vaccination Program

ONLY 1 OF 6

PARENTS SAY THEIR CHILD'S DOCTOR RECOMMENDED THE COVID-19 VACCINE.

- As a trusted source, your recommendation can influence the decision to vaccinate.
- If you choose not to enroll, have a referral plan in place to ensure that your patients get vaccinated elsewhere.
- Counseling for COVID-19 vaccine may be billable—stay tuned for updates.

IMM-1415-VFC (1/26/22)



Funding: Additional Opportunities

Nisha Gandhi, CDPH Pearlie Beltran, PHC





CalVaxGrant: Vaccines for Children (VFC)





CalVaxGrant – Vaccines for Children



CalVaxGrant funds support Vaccines for Children (VFC) providers!

- VFC providers **not enrolled** in the COVID-19 Vaccine Program:
 - \$10,000 to support enrollment and launch
- VFC providers enrolled in the COVID-19 Vaccine
 Program could be eligible for funding* by:
 - expanding vaccination operating hours
 - days and times more convenient for working parents



*Amount TBD



Poll: Additional Funding Opportunities

1. If offered additional funding to expand operations to increase COVID-19 pediatric vaccination, how would your organization use it?
☐ Hire more staff
☐ Expand evening office hours
☐ Expand weekend office hours
□ Expand Vaccine Storage Capacity (Purchase additional vaccine storage units or replace current unit to larger unit)
□ Other
2. If a new program awards grants to VFC Providers to expand operations to increase COVID-19 pediatric vaccinations, I will apply.
□ Yes
□ No



Become a COVID-19 Vaccine Provider

Amy Lara, CDPH



Enroll in the COVID-19 Vaccine Program Today!

With the expansion of COVID-19 vaccination for 5-11-year-olds, participation of VFC Providers in the California COVID-19 Vaccination Program is key to increasing vaccine equity among your VFC patients.

Key reasons to enroll in the COVID-19 Vaccine Program:

- Reduces vaccination barriers to access!
- VFC Providers are already set up for proper storage and administration! Read more!
 - <u>Ultra-low freezers not required</u>
- Pfizer now comes in smaller Standard Order sizes and is available through Small Orders

Your strong recommendation is one of the most important factors in your patients' decision to get vaccinated!



Before You Enroll



- ✓ Step 1: Review Program Requirements including CDC Provider Agreement
- ✓ Step 2: Identify Responsible Officers & Key Staff
- ✓ Step 3: Enroll in your local Immunization Information System (IIS)
- ✓ Step 4: Review Storage & Handling Guidelines
- √ Step 5: Complete Required Training
- ✓ Step 6: CDC Provider Agreement in myCAvax

CDC Provider Agreement Enrollment Worksheet

Section A: Provider Requirements & Legal Agreement

CDC COVID-19 Vaccination Program Provider Agreement Please complete Sections A and B of this form as follows: The Centers for Disease Control and Prevention (CDC) greatly appreciates your organization's (Organization) participation in the CDC COVID-19 Vaccination Program. Your Organization's chief medical officer (or equivalent) and chief executive officer (or chief fiduciary)—collectively, Responsible Officers—must complete and sign the CDC COVID-19 Vaccination Program Provider Requirements and Legal Agreement (Section A) in myCAvax. In addition, the CDC COVID-19 Vaccination Program Provider Profile Information (Section B) must be completed for each vaccination location (Location) covered under the Organization listed in Section A. Section A. COVID-19 Vaccination Program Provider Requirements and Legal Agreement Organization identification Number of affiliated vaccination locations covered by this agreement For the purposes of this agreement, in addition to Organization, Responsible Officers named below will also be accountable for compliance with the conditions specified in this agreement. The individuals listed below must provide their signatures after reviewing the agreement requirements. Chief Medical Officer (or Equivalent) Information

Do Not Submit Enrollment Worksheet

Section B: Provider Profile Information


CDC COVID-19 Vaccination Program Provider Agreement									
Section B. CDC COVID-19 Vaccination Program Provider Profile Information If you are enrolling on behalf of one or more other affiliated Organization vaccination locations, collect information for each location. Each individual Organization vaccination location must adhere to the requirements listed in Section A.									
Organization identification for individual locations									
Organization location name	2 :	Will another Organization	Will another Organization location order COVID-19 vaccine for this site?						
		☐ If YES; provide Organ	ization name:						
Contact informatio	n for location's primary	COVID-19 vaccine co	oordinator						
Last name:		First name:		Middle initial:					
Telephone:		Email:							
Contact informatio	n for location's backup	COVID-19 vaccine co	ordinator						
Last name:		First name:		Middle initial:					
Telephone:		Email:							
Organization locati	ion address for receipt	of COVID-19 vaccine	shinments						
Street address 1:	on address for receipt	or covid to vaccine	Street address 2:						
			_						
City:	County:		State:	ZIP:					
Telephone:		Fax:							
	ess of location where Co	OVID-19 vaccine will l	be administered						
(if different from rece		OVID-19 vaccine will l	be administered Street address 2:						
(if different from rece Street address 1:		OVID-19 vaccine will		ZIP:					
	iving location)	OVID-19 vaccine will l	Street address 2:	ZIP:					
(if different from rece Street address 1: City: Telephone:	iving location) County:	Fax:	Street address 2: State:						
(if different from rece Street address 1: City: Telephone:	iving location)	Fax:	Street address 2: State:						
(if different from rece Street address 1: City: Telephone:	cine coordinators are a	Fax: ivailable for receipt o	Street address 2: State: f COVID-19 vaccine sh	ipments					

Complete Required Training

- Providers and key practice staff who manage, handle, or administer COVID-19 vaccines must complete required training before enrolling:
 - Additional key practice staff should access the <u>COVID-19 Required</u> <u>Training</u> website.
 - Organization and Location Coordinators must complete the training in myCAvax.



myCAvax Homepage





COVID-19 Provider Enrollment Onboarding











1. Organization/Practice:

Designate staff to complete Organization and Location Coordinator roles



Ensures your organization/practice meets all program requirements

3. Ensure each location/practice is enrolled with their local IIS (CAIR2, RIDE, SDIR)







4. Organization Coordinator:

Registers organization by creating an account in mycAvax. Completes required CDC/CDPH training in the myCAvax system

5. Organization Coordinator:

Complete Section A: Enrolls Provider Organization.

6. Organization Coordinator:

Invites Primary Location Coordinator to complete Section B for each location







7. Primary Location Coordinator:

Creates location application and complete required CDC/CDPH training in myCAvax

8. Primary Location Coordinator:

Complete Section B: <u>Enroll Provider Locations</u>; Primary Location Coordinator e-signs

9. CDPH:

Reviews and approves location application in ~3-5 business days



Storage & Handling: Simplified Guidelines

Alan Hendrickson, CDPH



No ULT Required!





Simplified Storage & Handling Guidelines

Pfizer pediatric (5-11 years, orange cap)

10 weeks at normal refrigerated temperature, 2° to 8°

- Cannot be stored at normal frozen temperatures
- Pharmaceutical grade refrigerator and a DDL
- Requires dilution but that's furnished
- 10 dose multidose vial but a 12 hours BUD at room temperature
- 100 dose minimum order from Pfizer
- 30 dose minimum order from Third-party Redistributor (TPR, AmerisourceBergen)





Simplified Storage & Handling Guidelines

Pfizer (6 months - 4 years, maroon cap)- Coming soon!

- 10 weeks at normal refrigerated temperature, 2° to 8°
- Cannot be stored at normal frozen temperatures
- Pharmaceutical grade refrigerator and a DDL
- Requires dilution but that's furnished
- 10 dose multidose vial but a 12 hours BUD at room temperature
- 100 dose minimum order from Pfizer
- 30 dose minimum order from Third-party Redistributor (TPR, AmerisourceBergen); may be lower if distributed by your local health department.

Simplified Storage & Handling Guidelines

Storage and Handling Details

- Pfizer Information: https://www.cvdvaccine.com/
- EZIZ.org: https://eziz.org/covid/
- Or email Kate and Al:
 - Kate McHugh, Kate.McHugh@cdph.ca.gov
 - Al Hendrickson, Alan. Hendrickson@cdph.ca.gov



FAQs: CA COVID-19 Vaccination Program

Nisha Gandhi, CDPH



"I don't have an ultra-low freezer."

Great news—you don't need one! All of the COVID vaccines can be stored in the refrigerator.

"I don't have the storage capacity to hold many doses at a time."

You can order as few as 30 doses at a time, and order as frequently as weekly.

"Why can't I order COVID vaccines through the VFC Program?"

The COVID-19 Vaccine Program is set up and is operated separately and has a different agreement that must be signed.

"I am worried about vaccine waste"

Overall waste for the COVID Vaccination Program remains low. Though every effort is made to reduce the volume of wastage, there are circumstances in which is necessary to identify doses as "waste". Example: if doses are not administered within beyond use timeframes.



Poll: Enrollment COVID-19 Vaccine Program

- 1. Are you interested in enrolling in the COVID-19 Vaccine Program?
 - ☐ Yes
 - □ No
 - ☐ I am already enrolled



VFC Webinar Q&A

During today's session, please use the **Q&A panel** to ask your questions so our subject matter experts can respond directly.







Wrap-up


Leslie Amani, CDPH



Additional Support

Type of Support		Description	Updated 12.29.21	
	COVID-19 Provider Call Center	The COVID-19 Call Center for Providers and Local Health Departments is dedicated to medical providers COVID-19 response, specifically addressing questions about State program requirements, enrol distribution, including the Vaccine Marketplace.		
/ • \		Email: covidcallcenter@cdph.ca.gov		
		Phone: (833) 502-1245, Monday through Friday from 8AM–6PM		
	Enrollment Support	For Provider enrollment support, please contact myCAvax Clinic Operations at		
		Email: myCAvaxinfo@cdph.ca.gov		
	myCAvax Help Desk	Dedicated staff provide up-to-date information and technical support on the myCAvax system.		
لباح		Email: myCAvax.HD@Accenture.com		
\Box		 Phone: (833)-502-1245, option 3, Monday through Friday 7AM–7PM, Saturday and Sunday 8AM-1 	PM	
		For training opportunities: https://eziz.org/covid/education/		
	My Turn Clinic Help Desk	For onboarding support (those in the process of onboarding): myturnonboarding@cdph.ca.gov		
	my furn omne neip besk	For technical support with My Turn Clinic for COVID-19 and flu vaccines: MyTurn.Clinic.HD@Accen (833) 502-1245, option 4: Monday through Friday 7AM–7PM, Saturday and Sunday 8AM–1PM.	ture.com or	
Ψ		(000) 002 1240, option 4. Monday through Friday Friday Friday and Odinaay Orivien W.		
		For job aids, demos, and training opportunities: flu at https://eziz.org/covid/myturn/flu/ and COVID at https://exiz.org/covid/myturn/flu/ and COVID at https://exiz.org/ and		





Thank you!

Upcoming Office Hours for Enrolled Providers:

- Provider Office Hours: Fridays, 9AM-10AM
 - Register <u>here</u>
 - Session password: Immunize!
- My Turn / myCAvax Office Hours: Mondays, 12PM-1PM
 - o Register here
 - O Session Password: Immunize!

