## **COVID-19 Vaccine Timing 2023-24 – Routine Schedule**

Age*	Vaccine	If unvaccinated:	If had any prior doses, give 2023-24 doses:
6 months– 4 years†	<b>Pfizer</b> – Infant/Toddler	1st 3-8 2nd ≥8 Weeks Weeks Dose	If 1 prior dose, then:  3-8** weeks 1 ≥8 weeks 2  If ≥2 prior doses, then:  ≥8 weeks 1
	<b>Moderna–</b> Pediatric <sup>≠</sup>	1st 4-8 2nd Dose Dose	If 1 prior dose, then:  4-8 weeks 1  If ≥2 prior doses then:  ≥8 weeks 1
5 –11 years	<b>Moderna−</b> Pediatric <sup>‡</sup>	1 Dose	If 1 or more prior doses (of any of the brands), then^:
	<b>Pfizer–</b> Pediatric	1 Dose	≥2 months  2023-24  Formulation:  Moderna/Pfizer
12+ years	<b>Pfizer</b> – Adol/Adult (Comirnaty)	1 Dose	If 1 or more prior doses (of any of the brands), then^:
	<b>Moderna</b> – Adol/Adult (Spikevax)	1 Dose	Ages 12-64:  2023-24  Formulation:  Moderna/
	Novavax	1st 3-8 2nd Dose Dose	Pfizer/Novavax  Ages 65+:  ≥2 months 1 ≥4 months 2

<sup>\*</sup> See <u>CDC recommendations</u> for children transitioning from a younger to older age group

View Interim Clinical Considerations for Use of COVID-19 Vaccines for details. Schedule is subject to change.



<sup>†</sup> Children 6 months – 4 years should receive the same brand of the updated vaccine as the prior doses they received.

<sup>\*\*</sup> An 8-week interval may be preferable for some people, especially for males 12-39 years.

<sup>≠</sup> All Moderna doses 6 months – 11 years are 0.25 mL (25 mcg).

<sup>^</sup> Janssen (J & J) vaccine has been deauthorized. Follow schedule for 12+ years for any prior doses.

## COVID-19 Vaccine Timing 2023-24 if Moderately/Severely Immunocompromised

Age	Vaccine	If unvaccinated:	If had any prior doses give 2023-24 doses:
6 months– 4 years	<b>Pfizer</b> Infant/ Toddler	1st Dose Se	1 prior dose: $3 \text{ w}$ 1 $\geq 8 \text{ w}$ 2 $\geq 2 \text{ m}$ Optional Dose*
	<b>Moderna</b> – Pediatric	1st	1 prior dose: 4 w 1 ≥4 w 2  2 prior doses: ≥4 w 1 ≥2 m  Optional
5 –11 years	<b>Moderna</b> – Pediatric	1st Dose 2nd ≥4 Dose Optional Dose*	Dose*  ≥3 prior doses**:  (for ages 5+ yrs, Pfizer dose is also OK)
	<b>Pfizer–</b> Pediatric	1st 3 2nd ≥4 Moderna/ Pfizer    Moderna/ Pfizer	1 prior dose: 3 w 1 ≥4 w 2  2 prior doses: ≥4 w 1
12+ years	Pfizer- Adol/Adult (Comirnaty)	1st 3 2nd ≥4 3rd Dose Weeks Dose Ages 65+:	2 prior doses. ≥4 w 1 Ages 65+:  ≥3 prior doses**: ≥8 w 1 additional dose*
	Moderna-	1 additional dose*  1st 4 2nd ≥4 3rd ≥2 Moderna/	1 prior dose: 4 w 1 ≥4 w 2 ≥2 m Moderna/Pfizer/Novavax
	Adol/Adult (Spikevax)	Dose weeks Dose months Pfizer/ Novavax (optional for ages	2 prior doses: ≥4 w 1 (optional for ages 12-64*)
	Novavax	1st 3 veeks Dose 12-64*)	≥1 prior doses**: ≥2 m 1

<sup>\*</sup> An **optional dose** may be given ≥2 months after the last dose. **Further doses** may be given at the healthcare provider's discretion. See <u>Table 2</u> for vial and dosage.

<sup>\*\*</sup> Ages 5-11 years may be given Moderna or Pfizer after ≥3 prior doses. Ages 12+ years may be given Moderna, Pfizer, or Novavax.