









Routine Schedule

Age	Vaccine	Primary Doses	Booster Dose
6 months– 4 years	Pfizer– Infant/Toddler		
6 months– 5 years	Moderna– Infant/Toddler		
5–11 years	Pfizer– Pediatric		
6–11 years	Moderna– Pediatric		

Schedule if Moderately or Severely Immunocompromised






Age	Vaccine	Primary Doses	Booster Dose
6 months– 4 years	Pfizer– Infant/Toddler		
6 months– 5 years	Moderna– Infant/Toddler		
5–11 years	Pfizer– Pediatric		
6–11 years	Moderna– Pediatric		

^ An [8-week interval](#) may be preferable for some people, especially for males 12-39 years.

View [Interim Clinical Considerations for Use of COVID-19 Vaccines](#) for details. Schedule is subject to change.

COVID-19 Vaccine Timing–Adolescent/Adult

Routine Schedule

Age	Vaccine	Primary Doses	Booster Doses
12-17	Moderna– Adol/Adult	 <p>1st Dose → 4-8 weeks[^] → 2nd Dose</p>	
12+	Pfizer/ Adol/Adult	 <p>1st Dose → 3-8 weeks[^] → 2nd Dose</p>	 <p>1st Booster Ages 12-17: Pfizer 18+: Moderna/ Pfizer (mRNA preferred) or J&J*</p> <p>2nd Booster Ages 50+: Moderna/Pfizer 18-49: Not currently recommended. (If received J&J for primary and 1st booster, may consider receiving a 2nd booster of mRNA vaccine.)</p>
18+	Moderna– Adol/Adult	 <p>1st Dose → 4-8 weeks[^] → 2nd Dose</p>	
18+	Janssen (J&J) Pfizer/Moderna preferred*	 <p>1st Dose → ≥2 months →</p>	






[^] An [8-week interval](#) may be preferable for some people, especially for males 12-39 years.

* Although use of mRNA COVID-19 vaccines is preferred, the Janssen vaccine may be offered in [some situations](#).

View [Interim Clinical Considerations for Use of COVID-19 Vaccines](#) for details. Schedule is subject to change.

COVID-19 Vaccine Timing—Adolescent/Adult

Schedule if Moderately or Severely Immunocompromised

Age	Vaccine	Primary Doses	Booster Doses
12-17	Moderna— Adol/Adult		
12+	Pfizer/ Adol/Adult		
18+	Moderna— Adol/Adult		
18+	Janssen (J&J) Pfizer/Moderna preferred*		

* Although use of mRNA COVID-19 vaccines is preferred, the Janssen vaccine may be offered in [some situations](#).

View [Interim Clinical Considerations for Use of COVID-19 Vaccines](#) for details. Schedule is subject to change.