







Check vaccine labels and [EUA fact sheets](#) before use to avoid mix-ups.

EUA fact sheets supersede info on vials and carton. Refer to [CDC Product Guide](#) for more information.














Pfizer					
	Infant/Toddler 6 months– 4 years*	Bivalent Dose 3 6 months– 4 years		Pediatric Primary Series 5–11 years	Bivalent Booster 5-11 years
		 "Bivalent" on label			 "Bivalent" on label
Packaging	Maroon Cap	Maroon Cap		Orange Cap	Orange Cap
Doses Per Vial	10 doses	10 doses		10 doses	10 doses
Carton Size	100 doses	100 doses		100 doses	100 doses
Min. Standard Order	100 doses	100 doses		100 doses	100 doses
NDC-Unit of Use (vial)	59267-0078-01	59267-0609-01		59267-1055-01	59267-0565-01
CVX Code	219	302		218	301
Storage Limits Before Puncture: Label vaccine with expiration and use-by dates.					
ULT (-90°C to -60°C)	Up to 18 months from manufacture date.				
Thermal Shipper					
Freezer					
Refrigerator (2–8°C)	Up to 10 weeks (write the date on carton)				
Expiration Date	18 months from manufacture date printed on vial and carton or check product website .				
Administration					
Diluent (supplied)	2.2 mL per vial			1.3 mL per vial	1.3 mL per vial
Dose Volume– Primary/Additional	0.2 mL [†] (3 mcg dose)			0.2 mL [†] (10 mcg dose)	N/A
Dose Volume– Booster	N/A			Do not use for boosters.	0.2 mL [†] (10 mcg dose)
Refrigerator Thaw Time (2° to 8°C/ 36°F to 46°F) (Do not refreeze)	Up to 2 hours in carton			Up to 4 hours in carton	Up to 4 hours in carton
Room Temp Thaw Time	Vial: 30 minutes at up to 25°C (77°F)				
Total Time at Room Temp (Do not refreeze)	Up to 12 hours (including thaw time) at 8°C to 25°C (46°F to 77°F)				
Storage Limits After Puncture (Multi-dose vials): Record puncture and use-by time on vial label.					
Use-By Limit (Discard Time After 1st Puncture)	Discard after 12 hours at 2°C to 25°C (35°F to 77°F)				

* Labels for Pfizer 6 months-4 years product may not reflect expanded age ranges. [Refer to Provider Letter](#).

† Syringes in ancillary kits may require estimating volume between lines, or using private stock.






Check vaccine labels and [EUA fact sheets](#) before use to avoid mix-ups.

EUA fact sheets supersede info on vials and carton. Refer to [CDC Product Guide](#) for more information.

	Pfizer		Novavax	Janssen (J&J)
	Adol/Adult Primary Series 12+ years	Bivalent Booster 12+ years	Primary 12+ yrs Monovalent Booster 18+	Adult 18+ years
	 Comirnaty	Multi-dose  Single  "Bivalent" on label		
Packaging	Gray Cap	Gray Cap	Royal Blue Cap	Blue Cap
Doses Per Vial	6 doses	6 / 1 doses	10 doses	5 doses
Carton Size	60 doses	60 / 10 doses	100 doses	50 doses
Min. Standard Order	180 doses	180 / 50 doses	100 doses	Not Available
NDC-Unit of Use (vial)	00069-2025-01 (59267-1025-01)	59267-0304-01 59267-1404-01	80631-0100-01	59676-0580-05
CVX Code	217	300	211	212
Storage Limits Before Puncture: Label vaccine with expiration and use-by dates.				
ULT (-90°C to -60°C)	Until expiration			
Thermal Shipper				
Freezer				
Refrigerator (2–8°C)	Up to 10 weeks		Until expiration	Until expiration
Expiration Date	18 months from manufacture date on vial and carton. Check product website .		Check product website .	Check product website , QR code, or 800-565-4008
Administration				
Diluent (supplied)	Do not dilute		Do not dilute	Do not dilute
Dose Volume– Primary/Additional	0.3 mL (30 mcg dose)	N/A	Age 12+: 0.5 mL (5 mcg)	0.5 mL
Dose Volume– Booster	Do not use for boosters.	0.3 mL (30 mcg dose)	Age 18+: 0.5 mL (5 mcg)	0.5 mL
Refrigerator Thaw Time (2° to 8°C/ 36°F to 46°F) (Do not refreeze)	Up to 6 hours in carton	In carton, Multi-dose: up to 6 hours. Single-dose: up to 2 hours.	N/A	N/A. If needed immediately, thaw at room temperature.
Room Temp Thaw Time	Vial: 30 minutes at up to 25°C (77°F)		N/A	Carton: up to 4 hrs Vial: about 1 hour at 25°C (77°F) max
Total Time at Room Temp (Do not refreeze)	Up to 12 hours (including thaw time) at 8°C to 25°C (46°F to 77°F)		N/A	Store up to 12 hours at 9°C to 25°C (47°F to 77°F)
Storage Limits After Puncture (Multi-dose vials): Record puncture and use-by time on vial label.				
Use-By Limit (Discard Time After 1st Puncture)	Discard after 12 hours at 2°C to 25°C (35°F to 77°F)		Discard after 6 hours at 2° to 25°C (36° to 77°F)	Discard after 6 hours at 2° to 8°C (36°F to 46°F) or 2 hours at 25°C (77°F) max



Check vaccine labels and [EUA fact sheets](#) before use to avoid mix-ups.

EUA fact sheets supersede info on vials and carton. Refer to [CDC Product Guide](#) for more information.

Moderna				
Infant/Toddler 6 months– 5 years	Bivalent Booster 6 months– 5 years	Pediatric Primary Series 6-11 years*	Adol/Adult Primary Series 12+ years	Bivalent Booster 6+ years
 Magenta Border	 "Bivalent" On label	 Purple Border	 Light Blue Border	 Gray Border

Packaging	Dark Blue Cap	Dark Pink Cap	Dark Blue Cap	Red Cap	Blue Cap
Doses Per Vial	10 doses	2 doses	5 doses	10-11 doses	5-10 doses
Carton Size	100 doses	20 doses	50 doses	100 doses	50-100 doses
Min. Standard Order	100 doses	100 doses	Not Available	Not Available	100 doses
NDC-Unit of Use (vial)	80777-0279-05	80777-0283-02	80777-0275-05	80777-0273-10	80777-0282-05
CVX Code	228	230	221	207	229

Storage Limits Before Puncture: Label vaccine with expiration and use-by dates.

ULT (-90°C to -60°C)	
Thermal Shipper	
Freezer	Until expiration at -50°C to -15°C (-58°F to 5°F)
Refrigerator	Up to 30 days (not to exceed expiration date) at 2–8°C (36–46°F)
Expiration Date	Check product website or QR code.

Administration

Diluent	Do not dilute.				
Dose Volume– Primary/Additional	0.25 mL [†] (25 mcg dose)	N/A	0.5 mL (50 mcg dose)	0.5 mL (100 mcg dose)	N/A
Dose Volume– Booster	Do not use for boosters.	0.2 mL [†] (10 mcg dose)	Do not use for boosters.*	Do not use for boosters.	Age 12+: 0.5 mL Age 6-11: .25 mL [†]
Refrigerator Thaw Time (2° to 8°C/ 36°F to 46°F) (Do not refreeze)	2 hours (Let vial stand at room temp for 15 min before administering.)	45 minutes (Let vial stand at room temp for 15 min before administering.)	2 hours (Let vial stand at room temp for 15 min before administering.)	2.5 hours (Let vial stand at room temp for 15 min before administering.)	2 hours (Let vial stand at room temp for 15 min before administering.)
Room Temp Thaw Time	45 minutes at 15° to 25°C (59° to 77°F)	15 minutes at 15° to 25°C (59° to 77°F)	45 minutes at 15° to 25°C (59° to 77°F)	1 hour at 15° to 25°C (59° to 77°F)	45 minutes at 15° to 25°C (59° to 77°F)
Total Time at Room Temp (Do not refreeze)	Store up to 24 hours at 8°C to 25°C (46°F to 77°F)				

Storage Limits After Puncture: Record puncture and use-by time on vial label.

Use-By Limit (Discard Time After 1st Puncture)	12 hours at 2°C to 25°C (36°F to 77°F)	8 hours at 2°C to 25°C (36°F to 77°F)	Discard after 12 hours at 2°C to 25°C (36°F to 77°F)		
--	--	---	---	--	--

* Labels for early shipments of Moderna 6-11 years product do not reflect authorized age ranges. [Refer to Provider Letter.](#)

† Syringes in ancillary kits may require estimating volume between lines, or using private stock.