

# COVID-19 Vaccine Adolescent/Adult (12Y+), 2023-2024 Formula

## Vaccine Fact Sheet



Topic	Comirnaty	Spikevax	Novavax COVID-19 Vaccine
<b>Manufacturer</b>	Pfizer-BioNTech	Moderna	Novavax
<b>Product Info</b>	<a href="#">Prescribing Info</a>   <a href="#">Pfizer at a Glance</a>	<a href="#">Prescribing Info</a>   <a href="#">Moderna at a Glance</a>	<a href="#">Prescribing Info</a>   <a href="#">Novavax at a Glance</a>
<b>Protects Against</b>	Coronavirus disease 2019 (COVID-19) caused by severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2)	Coronavirus disease 2019 (COVID-19) caused by severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2)	Coronavirus disease 2019 (COVID-19) caused by severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2)
<b>Approved Ages</b>	12 years + (see <a href="#">age transition guidance</a> )	12 years + (see <a href="#">age transition guidance</a> )	12 years +
<b>Routine Schedule &amp; Intervals</b>	<b>Individuals 12 years and older:</b> <ul style="list-style-type: none"> <li>Unvaccinated: 1 dose</li> <li><b>Previously vaccinated with any COVID-19 vaccine:</b> 1 dose at least 2 months after the last dose of COVID-19 vaccine</li> <li><b>65 years and older:</b> 2 doses, at least 4 months apart</li> <li><b>Immunocompromised:</b> See <a href="#">CDC guidance</a></li> </ul>	<b>Individuals 12 years and older:</b> <ul style="list-style-type: none"> <li>Unvaccinated: 1 dose</li> <li><b>Previously vaccinated with any COVID-19 vaccine:</b> 1 dose at least 2 months after the last dose of COVID-19 vaccine</li> <li><b>65 years and older:</b> 2 doses, at least 4 months apart</li> <li><b>Immunocompromised:</b> See <a href="#">CDC guidance</a></li> </ul>	<b>Individuals 12 years and older:</b> <ul style="list-style-type: none"> <li><b>Unvaccinated:</b> 2 doses at least 3 weeks apart</li> <li><b>Previously vaccinated with any COVID-19 vaccine:</b> 1 dose at least 2 months after the last dose of COVID-19 vaccine</li> <li><b>65 years and older:</b> 2 doses, at least 4 months apart</li> <li><b>Immunocompromised:</b> See <a href="#">CDC guidance</a></li> </ul>
<b>Administration</b>	Intramuscular (IM) injection	Intramuscular (IM) injection	Intramuscular (IM) injection
<b>Packaging</b>	Single-dose vials – 10 vials per box	Single-dose vial – 10 vials per box (pre-filled syringes available for private purchase)	5-dose vials – 2 vials per box (10 doses per box)

Topic	Comirnaty	Spikevax	Novavax COVID-19 Vaccine
	<b>Prefilled syringes:</b> 10 single-dose, manufacturer-filled syringes (NCD 0069-2377-10)		
<b>Dosage</b>	30 micrograms/dose (0.3 mL)	50 micrograms/dose (0.5 mL)	5 micrograms/dose (0.5 mL)
<b>Shipping</b>	<p>Ships from manufacturer with dry ice and between -90°C and -60°C (-130°F to -76°F)</p> <p><b>Prefilled syringes:</b> Ships from manufacturer between 2°C and 8°C (36°F and 46°F). Shipping containers are designed to maintain temperatures for 84hrs and don't include temperature monitors; sticker on box includes shipping date. Providers may request packing slips from Pfizer Customer Service if more than the sticker on the box is needed. Do not return shipping containers.</p>	Ships frozen between -50°C and -15°C (-58°F and 5°F)	Ships at temperatures between 2° to 8°C (36° to 46°F)
<b>Storage</b>	<p>Store unpunctured vials in ULT unit (-90 to -60°C) until expiration or refrigerator at 2-8°C (36-46°F) for up to 10 weeks or at 8°C to 25°C (46°F to 77°F) for up to 12 hours. <b>DO NOT FREEZE. Protect vaccine from light.</b></p> <p><b>Prefilled syringes:</b> MUST BE STORED BETWEEN 2°C and 8°C (36°F and 46°F) and until expiration.</p>	<p>Store unpunctured vials in a freezer at -50°C to -15°C (-58°F to 5°F) until expiration or refrigerator at 2°C to 8°C (36°F to 46°F) for up to 30 days or hold at 8°C to 25°C (46°F to 77°F) for up to 24 hours before puncture.</p> <p>Thawed vials and syringes can be handled in room light conditions. Do not refreeze once thawed.</p> <p><b>Prefilled syringes after thawing:</b> Store refrigerated between 2°C to 8°C (36°F to 46°F) for up to 30 days or</p>	Store unpunctured multi-dose vials in a refrigerator between 2° to 8°C (36° to 46°F) until expiration. <b>DO NOT FREEZE. Protect vaccine from light.</b>

Topic	Comirnaty	Spikevax	Novavax COVID-19 Vaccine
		hold at 8°C to 25°C (46°F to 77°F) for up to 24 hours.	
<b>Use-By Limit</b>	Discard after single use  <b>Prefilled syringes:</b> 10-week beyond-use date for refrigerator storage does not apply.	Discard after single use	Discard 12 hours after puncture; keep at 2° to 25°C (36° to 77°F)
<b>Expiration Date</b>	Scan QR code on carton or use <a href="#">expiry checker</a>  <b>Prefilled syringes:</b> See expiration date printed on the carton.	Scan QR code on carton or use <a href="#">expiry checker</a>	Scan QR code on carton or use <a href="#">expiry checker</a>
<b>Recommendations</b>	<a href="#">COVID-19 ACIP Vaccine Recommendations</a>	<a href="#">COVID-19 ACIP Vaccine Recommendations</a>	<a href="#">COVID-19 ACIP Vaccine Recommendations</a>
<b>VIS</b>	<a href="#">COVID-19 VIS</a>	<a href="#">COVID-19 VIS</a>	<a href="#">Distribute EUA fact sheet</a>
<b>Program Letter</b>	<a href="#">VFC Letter</a>	<a href="#">VFC Letter</a>	<a href="#">VFC Letter</a>
<b>Billing Codes</b>	<b>CHDP providers:</b> Claims may be submitted; refer to CHDP Provider manual and <a href="#">CHDP Provider Information Notice</a> or contact your <a href="#">County CHDP Program</a> <b>Medi-Cal FFS billing code:</b> 90480-SL (providers are only reimbursed for admin fee) <b>Medi-Cal Managed Care:</b> Contact Medi-Cal managed care health plan for details <b>Private patients:</b> CPT Code 91320 for vaccine, 90480 for administration; CVX Code 309. ( <b>Prefilled syringes:</b> CPT Code 91320; CVX Code 309)	<b>CHDP providers:</b> Claims may be submitted; refer to CHDP Provider manual and <a href="#">CHDP Provider Information Notice</a> or contact your <a href="#">County CHDP Program</a> <b>Medi-Cal FFS billing code:</b> 90480-SL (providers are only reimbursed for admin fee) <b>Medi-Cal Managed Care:</b> Contact the Medi-Cal managed care health plan for details <b>Private patients:</b> CPT Code 91322 for vaccine, 90480 for administration; CVX Code 312.	<b>CHDP providers:</b> Claims may be submitted; refer to CHDP Provider manual and <a href="#">CHDP Provider Information Notice</a> or contact your <a href="#">County CHDP Program</a> <b>Medi-Cal FFS billing code:</b> 90480-SL (providers are only reimbursed for admin fee) <b>Medi-Cal Managed Care:</b> Contact the Medi-Cal managed care health plan for details <b>Private patients:</b> CPT Code 91304 for vaccine, 90480 for administration; CVX Code 313.
<b>Comments</b>	Licensed under BLA and updated to include the spike protein from the	Licensed under BLA and updated to include the spike protein from the	Authorized under emergency use and updated to include the spike protein

Topic	Comirnaty	Spikevax	Novavax COVID-19 Vaccine
	SARS-CoV-2 Omicron variant lineage XBB.1.5 (2023-2024 formula)	SARS-CoV-2 Omicron variant lineage XBB.1.5 (2023-2024 formula)	from the SARS-CoV-2 Omicron variant lineage XBB.1.5 (2023-2024 formula)