

COVID-19 Vaccine Adolescent/Adult (12Y+), 2023-2024 Formula

Vaccine Fact Sheet



Topic	Comirnaty	Spikevax	Novavax COVID-19 Vaccine
Manufacturer	Pfizer-BioNTech	Moderna	Novavax
Product Info	Prescribing Info Pfizer at a Glance	Prescribing Info Moderna at a Glance	Prescribing Info Novavax at a Glance
Protects Against	Coronavirus disease 2019 (COVID-19) caused by severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2)	Coronavirus disease 2019 (COVID-19) caused by severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2)	Coronavirus disease 2019 (COVID-19) caused by severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2)
Approved Ages	12 years + (see age transition guidance)	12 years + (see age transition guidance)	12 years +
Routine Schedule & Intervals	<p>Individuals 12 years and older:</p> <ul style="list-style-type: none"> Unvaccinated: 1 dose Previously vaccinated with any COVID-19 vaccine: 1 dose at least 2 months after the last dose of COVID-19 vaccine 65 years and older: 2 doses, at least 4 months apart Immunocompromised: See CDC guidance 	<p>Individuals 12 years and older:</p> <ul style="list-style-type: none"> Unvaccinated: 1 dose Previously vaccinated with any COVID-19 vaccine: 1 dose at least 2 months after the last dose of COVID-19 vaccine 65 years and older: 2 doses, at least 4 months apart Immunocompromised: See CDC guidance 	<p>Individuals 12 years and older:</p> <ul style="list-style-type: none"> Unvaccinated: 2 doses at least 3 weeks apart Previously vaccinated with any COVID-19 vaccine: 1 dose at least 2 months after the last dose of COVID-19 vaccine 65 years and older: 2 doses, at least 4 months apart Immunocompromised: See CDC guidance
Administration	Intramuscular (IM) injection	Intramuscular (IM) injection	Intramuscular (IM) injection
Packaging	Single-dose vials – 10 vials per box	Single-dose vial – 10 vials per box (pre-filled syringes available for private purchase)	5-dose vials – 2 vials per box (10 doses per box)

Topic	Comirnaty	Spikevax	Novavax COVID-19 Vaccine
	Prefilled syringes: 10 single-dose, manufacturer-filled syringes (NCD 0069-2377-10)		
Dosage	30 micrograms/dose (0.3 mL)	50 micrograms/dose (0.5 mL)	5 micrograms/dose (0.5 mL)
Shipping	<p>Ships from manufacturer with dry ice and between -90°C and -60°C (-130°F to -76°F)</p> <p>Prefilled syringes: Ships from manufacturer between 2°C and 8°C (36°F and 46°F). Shipping containers are designed to maintain temperatures for 84hrs and don't include temperature monitors; sticker on box includes shipping date. Providers may request packing slips from Pfizer Customer Service if more than the sticker on the box is needed. Do not return shipping containers.</p>	Ships frozen between -50°C and -15°C (-58°F and 5°F)	Ships at temperatures between 2° to 8°C (36° to 46°F)
Storage	<p>Store unpunctured vials in ULT unit (-90 to -60°C) until expiration or refrigerator at 2-8°C (36-46°F) for up to 10 weeks or at 8°C to 25°C (46°F to 77°F) for up to 12 hours. DO NOT FREEZE. Protect vaccine from light.</p> <p>Prefilled syringes: MUST BE STORED BETWEEN 2°C and 8°C (36°F and 46°F) and until expiration.</p>	<p>Store unpunctured vials in a freezer at -50°C to -15°C (-58°F to 5°F) until expiration or refrigerator at 2°C to 8°C (36°F to 46°F) for up to 30 days or hold at 8°C to 25°C (46°F to 77°F) for up to 24 hours before puncture. Protect vaccine from light.</p>	<p>Store unpunctured multi-dose vials in a refrigerator between 2° to 8°C (36° to 46°F) until expiration. DO NOT FREEZE. Protect vaccine from light.</p>
Use-By Limit	Discard after single use	Discard after single use	Discard 12 hours after puncture; keep at 2° to 25°C (36° to 77°F)

Topic	Comirnaty	Spikevax	Novavax COVID-19 Vaccine
	Prefilled syringes: 10-week beyond-use date for refrigerator storage does not apply.		
Expiration Date	Scan QR code on carton or use expiry checker Prefilled syringes: See expiration date printed on the carton.	Scan QR code on carton or use expiry checker	Scan QR code on carton or use expiry checker
Recommendations	COVID-19 ACIP Vaccine Recommendations	COVID-19 ACIP Vaccine Recommendations	COVID-19 ACIP Vaccine Recommendations
VIS	COVID-19 VIS	COVID-19 VIS	Distribute EUA fact sheet
Program Letter	VFC Letter BAP Letter (coming soon)	VFC Letter BAP Letter (coming soon)	VFC Letter BAP Letter (coming soon)
Billing Codes	CHDP providers: Claims may be submitted; refer to CHDP Provider manual and CHDP Provider Information Notice or contact your County CHDP Program Medi-Cal FFS billing code: 90480-SL (providers are only reimbursed for admin fee) Medi-Cal Managed Care: Contact Medi-Cal managed care health plan for details Private patients: CPT Code 91320 for vaccine, 90480 for administration; CVX Code 309. (Prefilled syringes: CPT Code 91320; CVX Code 309)	CHDP providers: Claims may be submitted; refer to CHDP Provider manual and CHDP Provider Information Notice or contact your County CHDP Program Medi-Cal FFS billing code: 90480-SL (providers are only reimbursed for admin fee) Medi-Cal Managed Care: Contact the Medi-Cal managed care health plan for details Private patients: CPT Code 91322 for vaccine, 90480 for administration; CVX Code 312.	CHDP providers: Claims may be submitted; refer to CHDP Provider manual and CHDP Provider Information Notice or contact your County CHDP Program Medi-Cal FFS billing code: 90480-SL (providers are only reimbursed for admin fee) Medi-Cal Managed Care: Contact the Medi-Cal managed care health plan for details Private patients: CPT Code 91304 for vaccine, 90480 for administration; CVX Code 313.
Comments	Licensed under BLA and updated to include the spike protein from the SARS-CoV-2 Omicron variant lineage XBB.1.5 (2023-2024 formula)	Licensed under BLA and updated to include the spike protein from the SARS-CoV-2 Omicron variant lineage XBB.1.5 (2023-2024 formula)	Authorized under emergency use and updated to include the spike protein from the SARS-CoV-2 Omicron variant lineage XBB.1.5 (2023-2024 formula)

