# Welcome to California COVID-19 Vaccination Program Friday Provider Office Hours




Friday, April 22, 2022



### **Provider Office Hours Q&A**

During today's session, please use the **Q&A panel** to ask your questions so our subject matter experts can respond directly.







## Housekeeping

#### **Reminder to Panelists:**

Please mute yourself when not speaking.

Please monitor the Q&A panel for questions you may be able to answer.

#### **Reminder to Attendees:**



Today's session is being recorded. Access today's slides and archived presentations at: <a href="https://eziz.org/covid/education/">https://eziz.org/covid/education/</a>



If you have technical difficulties, please contact Rachel.Jacobs@cdph.ca.gov



### Agenda: Friday, April 22, 2022

No.	Item	Speaker	Time (AM)	
1	Welcome & Announcements	Leslie Amani (Moderator)	9:00 - 9:05	
2	Vaccine Administration	Elizabeth Reosti (CDPH)	9:05 – 9:10	
3	Clinical Update	Caterina Liu, M.D. (CDPH)	9:10 – 9:20	
	Q&A			
4	Enrollment & KidsVaxGrant	Amy Lara and Nisha Gandhi (CDPH)	9:30 - 9:35	
5	Storage & Handling	Alan Hendrickson (CDPH)	9:35 – 9:40	
6	Vaccine Management	Eric Norton (My Turn) and Claudia Aguiluz (CDPH)	9:40 - 9:50	
7	Wrap Up & Resources	Leslie Amani (Moderator)	9:50 - 10:00	
Q&A				



# Announcements

Leslie Amani, CDPH



### **Crucial COVID-19 Conversations Upcoming Webinars**

**Today!** Please join Dr. Eric Ball, pediatrician, for a webinar training on **talking to parents about COVID-19 vaccines for children**.

When: Friday, April 22, 2022

**Time**: 12:00PM-1:00PM

Register here!

Next week, please join Sharon Goldfarb, DNP, for a webinar on talking to patients in **rural communities** about COVID-19 vaccines.

When: Thursday, April 28, 2022

Time: 12:00PM-1:00PM

Register here!








## California Immunization Coalition: Education Hour

#### When: Wednesday, April 27, 2022 Time: 12:00PM-1:00PM Register here!

Please join the California Immunization Coalition (CIC)

on April 27 for a review and update on how the <u>ShotByShot.org</u> project has expanded over the last several years.







CDPH will hold a webinar that includes guest panelists from the DHCS (Department of Healthcare Services) and CMA (California Medical Association).

When: Friday, April 29, 2022

Time: 12:30PM-1:30PM

**Register here!** 





# Pfizer COVID-19 Vaccine Medical Updates & Training Sessions

Date & Time (linked)	Password			
<u>Tuesday, April 26 - 12PM</u>	3x5wRD4pMfw			
<u>Wednesday, April 27 - 9AM</u>	SVpPdZmv727			
<u>Thursday, April 28 - 9AM</u>	S3TxeFF7mT5			
More sessions listed! NOTE: All times listed here are PDT.				

For providers and immunization staff personnel. Please attend one of these sessions!

#### **Updated Session Format!**

- Medical updates, including recent updates to the CDC Interim Clinical Considerations
- Overview of healthcare provider resources
- Storage, handling, and administration for:
  - Ages 5 through 11 Years
  - Ages 12 Years and Older

### VA58 Trust & Safety Team Updates

The VA58 Trust & Safety Team reports on trending narratives about COVID-19, delivers biweekly briefings, and develops comprehensive resources to increase awareness around mis-, dis-, and mal-information, as well as the State's capacity to counter it.

#### **BIWEEKLY BRIEFINGS**

Biweekly briefings provide partners with the top COVID-19 vaccine mis/dis topics and trends, and invitees receive a copy of the report post-briefing.

To be added to the invite, email rumors@cdph.ca.gov.

Agenda	For Discussion Purposes Only					
Report Overview	This brief provides the top narratives from September 27th to October 10th that pose potential risks to public COVID-19 vaccine acceptance in California.					
Recent Findings	Recent trends highlight emerging narratives and the latest tracking updates during the last two weeks.					
Narrative Alerts	Please be on the lookout for statements, photos, and posts that pose potential risks to COVID-19 vaccine acceptance.					
Additional Information	See something that seems amiss? Send it to <u>tumors@cdph.ca.aov</u> !					
Logistics         Next VA56 Trust & Safety Update   November 5 <sup>th</sup> 11 cm PT           • Questions about the Trust & Safety Team on need follow-up information?         • Contract: Cason Safety Team on need follow-up information?           • Contract: Cason Safety Team on need follow-up information?         • Contract: Cason Safety Team on need follow-up information?						
Vaccinate All 58						

#### **RUMORS INBOX**

The Rumors Inbox serves as a tip line for our partners to submit the COVID-19 rumors they're hearing online and within their communities to our team. We incorporate the submissions into our team's reporting.



Report COVID-19 Vaccine Rumors to: rumors@cdph.ca.gov

#### **RECENT TOPICS & RESOURCES**

Mis/Dis/Mal-information: COVID-19 vaccines have caused a 2,000% increase in miscarriages. Spanish-language social media users assert that COVID-19 vaccines cause severe harm to pregnant women and their unborn children. Recently, numerous social media users highlighted and translated into Spanish speculative claims that COVID-19 vaccines have caused a 2,000% increase in fetal deaths since their introduction.

Trusted Resources: <u>COVID-19 Vaccines for</u> <u>People Who Would Like to Have a Baby |</u> <u>CDC</u>, <u>Study suggests COVID-19 vaccines do</u> <u>not reduce fertility | National Institutes of</u> <u>Health (NIH)</u>, <u>Vaccinate All 58</u>



#### Stay informed! Provider Resources on eziz.org/covid

#### Frequent Content Updates:

- Alerts
- Program Enrollment
- My Turn Onboarding
- Reporting Requirements
- Patient Resources
- Archived Communications
- Education & Support Materials
- More to explore!

Vaccinate All 58	California COVID-19 Vaccination Program	
Program Updates	Updates for Providers	
Program Enrollment	opuates for Providers	
My Turn Onboarding		
Vaccine Management		
Vaccine Administration	FAQs Provider Training Training Office Hours Calendar	
Reporting Requirements	Alerts:	
Archived Communications		
Patient Resources	Medi-Cal News Flash	
D	FQHC, RHC and Tribal FQHC Providers May Now Submit Claims for COVID-19 Vaccine Administration	
Provider Support	Updated Vaccination Schedule	
Email: Program Info Phone: (833) 502-1245 Hours: Mon-Fri, 8AM-6PM Contact us for questions about the program or help with accessing documents.	<ul> <li>COVID-19 Vaccine Timing by Age (Eligibility Chart) Spanish: Calendario de la Vacuna COVID-19 por Edad (Tabla de Elegibilidad)</li> <li>COVID-19 Vaccine Timing for 2nd Dose</li> <li>COVID-19, Myocarditis, and Vaccines Fact Sheet</li> </ul> Vaccine Expiration	
myCAvax and My Turn	<ul> <li>Janssen (Johnson &amp; Johnson) Expiration Extension</li> <li>March &amp; April COVID-19 Vaccine Expiration Dates</li> </ul>	
Email: myCAvax Technical Support MyTurn Onboarding, MyTurn Technical Support Phone: (833) 502-1245 Mon-Fri, 7AM-7PM Sat-Sun, 8AM-1PM My Turn Clinic Translation Line: (833) 980-3933 Mon-Fri: 8AM-8PM Sun-Sat: 8AM-5PM	Now Enrolling Providers of Pediatric Services         Infographic: MAKE NO MISTAKE-COVID-19 Is A Childhood Illness         Benefits for Primary Care Providers         Find Information on How to Enroll         Mis-Disinformation "6 Myths" Provider Poster         Welcome VFC Providers   Flyer   VFC vs. COVID Programs         Other New Resources         Recommending COVID-19 Vaccination: Clinical Talking Points for Providers of Pediatric Services         Requesting COVID-19 Vaccination Staff	
Vaccines Manufacturer Contacts	Featured Resources	
	Hear It. Clear It.	
	If you see or hear of any vaccine-related rumors within the communities you serve, share them with our Trust and Safety team via the CDPH Rumors Inbox at rumors@cdph.ca.gov.	



### **COVID-19 Vaccine Provider FAQs**

- Answers to provider questions
- Updated weekly: last updated 4/21/2022
- Currently in its 68th iteration!

Q: Where can COVID-19 vaccine Providers find information on the timeline for COVID-19 vaccine requirements in schools?

A: On April 14, 2022, the California Department of Public Health (CDPH) issued a <u>statement</u> regarding the new implementation timeline for adding the COVID-19 vaccine to the list of vaccinations required to attend schools. The statement extends the COVID-19 vaccine school requirement to no sooner than July 1, 2023.

Q: Where can COVID-19 vaccine Providers find guidance on COVID-19 reimbursement for Federally Qualified Health Centers (FQHCs), Rural Health Centers (RHCs) and Tribal FQHCs?

A: On April 15, 2022, the Department of Health Care Services (DHCS) issued new guidance notifying Federally Qualified Health Centers (FQHCs), Rural Health Centers (RHCs), and Tribal FQHCs that they may now submit claims for COVID-19 vaccine administration for vaccine-only encounters. The maximum allowable reimbursement rate is \$67 for COVID-19 vaccines administered during vaccine-only encounters. For complete billing instructions, please see the <u>DHCS guidance</u>.

#### Q: Who is licensed to administer COVID-19 vaccines in California?

A: A listing of licensees authorized to administer COVID-19 vaccines in California is located on the California Department of Public Health (CDPH) Immunization Branch webpage available <u>here</u>.

California COVID-19 Vaccination Program Provider FAQs v.68.0\_4.21.22

#### **California COVID-19 Vaccination Program Provider FAQs**

For Prospective, Newly Enrolled, and Current California COVID-19 Vaccine Providers. Providers may also visit California COVID-19 Vaccination Program for information and updates.

#### Directions: Click on a category to be directed to related FAQs.

#### Contents

New and Updated FAQs2
Pediatric Providers3
Vaccine Program Management4
Provider Enrollment5
Ordering5
Distribution/Redistribution5
Vaccine Administration6
Additional/Booster Doses8
Vaccine Storage & Handling10
Inventory11
Reporting12
Billing & Reimbursement
Communication Resources14

#### Provider FAQs on EZIZ, Updated Weekly



Vaccinate AL

#### **COVID-19 Vaccination Program Webinars and Training for Providers**

#### Week of April 25, 2022

#### Note: Calendar subject to change

	Monday 4/25	Tuesday 4/26	Wednesday 4/27	Thursday 4/28	Friday 4/29
myCAvax					Provider Office Hours 9:00 am – 10:00 am
Combined Office Hours and Events	My Turn and myCAvax Office Hours 12:00 pm – 1:00 pm	Pfizer BioNTech COVID-19 Vaccine Training & Education* 12:00 pm – 1:00 pm PW: 3x5wRD4pMfw	Pfizer BioNTech COVID-19 Vaccine Training & Education* 9:00 am – 10:00 am PW: SVpPdZmv727	Pfizer BioNTech COVID-19 Vaccine Training & Education* 9:00 am – 10:00 am PW: S3TxeFF7mT5 Crucial COVID-19 Conversations Webinar: Talking with Parents in Rural Communities about COVID- 19 Vaccines 12:00 pm – 1:00 pm	Billing and Reimbursement Webinar 12:30 pm – 1:30 pm

\* Pfizer BioNTech COVID-19 Vaccine Training & Education topics vary by day and include the latest information about vaccine storage, handling, preparation, and administration; recent medical updates, healthcare provider resources, and a Q&A session

View On Demand	<ul> <li>Intro to My Turn Onboarding (v. 1/4/22)</li> <li>Latest Features in My Turn (*Requires My Turn Login)</li> </ul>	<ul> <li>Latest Features in myCAvax (*Requires myCAvax Login)</li> <li>myCAvax Release Notes for (*Requires myCAvax Login)</li> </ul>	r LHJs and CDPH Users	<ul> <li>Provider 101 Account Enrollment: Section A: Organization Application (v. 10/21/21)</li> <li>Provider 101 Account Enrollment: Section B: Location Application (v. 10/21/21)</li> <li>Provider Office Hours and MCE Office Hours Archived Sessions</li> </ul>
Help	Website: <u>www.eziz.org/covid</u> , <u>FAQs</u> General email: <u>covidcallcenter@cd</u> CDPH Provider Call Center: 1-833-	ph.ca.gov	•	nboarding@cdph.ca.gov nail: myCAvax.HD@accenture.com



### **Request: Provider Feedback**

Please provide your feedback!

As we plan for the Friday, April 29, "Billing and Reimbursement" webinar:

What questions do you currently have related to billing and reimbursement?




# Vaccine Administration Data

Elizabeth Reosti, CDPH




# Vaccine Administration Summary

as of April 19, 2022






#### **Total Doses Administered:**




# **Trends in Vaccine Administration**

as of April 18, 2022



Weekly New Doses Administered (thousands)



Month of Date Administered

Week Start Date



# **Trends in Vaccine Administration**


as of April 18, 2022

/accinate

58

 Increase in demand/uptake among 50-64 and 65+ age groups

Centers for Disease Control and Prevention CDC 24/? Saving Lives. Protecting People**			A-Z Index Q Advanced Search
CDC Newsroom			
CDC > Newsroom Home > CDC Newsroom Rel	zases		() 🖸 🕲
Newsroom Home     CDC Newsroom Releases     2022 News Releases     2021 News Releases	CDC Recommends Additional Boos Individuals	ters for Cer	rtain
	Media Statement		
2020 News Releases	For Immediate Release: March 29, 2022 Contact: <u>Media Relations</u>		
2019 News Releases	(404) 639-3286		



Percent Change from Previous Week	- 8%	- 9%	+ 79%	+ 31%	- 4%
5-11	- 17%	- 12%	- 20%	- 18%	- 3%
12-17	- 6%	- 12%	- 17%	- 28%	+ 5%
18-49	- 11%	- 11%	- 11%	- 16%	- 5%
50-64	- 3%	- 8%	+ 162%	+ 38%	+ 0%
65+	+ <b>9</b> %	+ 4%	+ 495%	+ 68%	- 7%


# 5-to-11-year-old Vaccination Trends

as of April 18, 2022

Weekly New 5-11 year-old Fully Vaccinated Recipients by VEM

VEM Quartile Q4 Q3

 Persistently declining demand/uptake among all equity quartiles.





# **Data Summary**

as of April 18, 2022

#### **Latest Metrics**

- 74.3 Million doses administered
- -4% change in all new doses from previous week (4<sup>th</sup> doses among 50+)
- -11% change in new 5-to-11-year-old recipients from previous week

#### **System Updates**

- Public dashboard reporting now Tuesdays and Fridays
- 4<sup>th</sup> doses included in overall dose admin count, but not currently displayed in immunization status



# **Clinical Update**

Caterina Liu, M.D., CDPH





#### Advisory Committee on Immunization Practices (ACIP)

## Update from ACIP Meeting – April 20, 2022

Interim Clinical Considerations

Summary of recent changes (last updated April 21, 2022):

- Added considerations for the option to receive a second COVID-19 vaccine booster dose
- Updated guidance for COVID-19 vaccination after SARS-CoV-2 infection



### Eligible People who may Consider Getting the 2<sup>nd</sup> Booster Dose as soon as Possible



People with certain underlying medical conditions that increase the risk of severe COVID-19 illness



People who are moderately or severely immunocompromised



People who live with someone who is immunocompromised, at increased risk for severe disease, or who cannot be vaccinated due to age or contraindication



People at increased risk of exposure to SARS-CoV-2, such as through occupational, institutional, or other activities (e.g., travel or large gatherings)



People living or working in an area where the COVID-19 community level is medium or high

# Eligible People who may Consider Waiting to Receive a 2<sup>nd</sup> Booster Dose



People with recent SARS-CoV-2 infection within the past 3 months



People who may be hesitant about getting another recommended booster dose in the future, as a booster dose may be more important in the fall and/or if a variant-specific vaccine is needed.



### Vaccine Products Possibly up for Review by the FDA in the Coming Months

Stay-tuned for updates. Much is uncertain.

- Pfizer
  - Full licensure for adolescents (12-to-15 years)



- Emergency Use Authorization (EUA) for 3<sup>rd</sup> dose for 5-to-11 years NEW [Pfizer data update press release – April 14, 2022]
- EUA for children under 5 years
- Moderna
  - EUA for children and adolescents (6 months-to-17 years) Moderna data update press release – March 23, 2022
- Novavax
  - EUA for adults (18+ years)

Novavax press release – January 31, 2022



## Pfizer Pediatric COVID Vaccine 3<sup>rd</sup> Dose Update

Plans to submit EUA request for 10-ug booster dose for healthy children ages 5to-11 years

#### Phase 2/3 trials

- Analysis of 140 children who received booster vaccine approximately 6 months after 2<sup>nd</sup> dose showed a 6-fold increased neutralizing antibodies against SARS-CoV-2 wildtype strain compared to levels after two doses of vaccine.
- Sub-analysis of 30 sera showed a 36-fold increase in SARS-CoV-2 Omicron neutralizing titers following booster dose compared to levels after two doses of vaccine.
- No new safety signals were observed.



Estimated Vaccine Effectiveness against Hospitalization with COVID-19 after Previous SARS-CoV-2 infection — United States, June 2021– February 2022

Immunization Status	Overall	Delta predominant	Omicron predominant	
Unvaccinated (Ref)	Ref	Ref	Ref	Table 2
Any mRNA vaccine, 1 dose	<b>42</b> (30–52)	<b>59</b> (41–71)	<b>33</b> (15–47)	et al., Ta
Any mRNA vaccine, 2 doses	<b>39</b> (33–45)	<b>48</b> (39–55)	<b>35</b> (26–43)	Plumb e
Pfizer-BioNTech	<b>43</b> (35–49)	<b>50</b> (39–59)	<b>37</b> (26–47)	
Moderna	<b>39</b> (29–47)	<b>44</b> (30–55)	<b>36</b> (22–47)	Adapted from
Any mRNA vaccine, booster dose	<b>67</b> (61–72)	<b>58</b> (32–74)	<b>68</b> (61–73)	Ă

Booster dose offers the highest level of protection against COVID-19 reinfection associated hospitalization.

Plumb et al. Effectiveness of COVID-19 mRNA Vaccination in Preventing COVID-19—Associated Hospitalization Among /accinate ts with Previous SARS-CoV-2 Infection. MMWR 4/12/22

### Clinical Talking Points for Providers of Pediatric Services

A guide to having effective conversations with families about COVID-19 vaccines:

- Start the conversation now
- Validate parental concerns
- Provide accurate information

#### Recommending COVID-19 Vaccination: Clinical Talking Points for Providers of Pediatric Services

Vaccinate ALL 58

This resource is designed to help you and your staff have effective conversations with families about COVID-19 vaccines, as you are the most trusted source of medical information for families.

#### Begin to discuss COVID-19 vaccination now.

Start by asking, "What are your thoughts on your child receiving the vaccine?", then listen closely to their answers. Remember that the goals of these conversations are to have a cordial discussion, answer questions, understand and acknowledge any fears they express, and convey accurate information. This sets the stage for return visits, as families may need many conversations before they are ready to have their young children immunized.



#### Validate parental concerns and answer questions without judgement.

As their child's provider, your guidance is influential to parents. Hearing your opinion that immunization is safe and effective can be reassuring. When parents express hesitation, ask about their concerns and acknowledge their views. For example, "If I read those things on Facebook, I would be scared, too. Let's talk about your concerns." Let parents know that you share their goal of keeping their children safe.

#### Give parents accurate information.

Here are common questions and talking points to help parents. Praise parents who ask questions for wanting to know more. Wrap up the conversation by making a recommendation while acknowledging their authority in deciding for their children. For example, "I think getting vaccinated is best for your child, and ultimately, it's your choice. I'm here to guide you and answer your questions."

#### Why should my child get the COVID-19 vaccine?

- It's effective. The vaccine does not protect against all COVID-19 infection, but <u>studies</u> have shown it is
  effective in preventing severe illness and hospitalization, including <u>against the Omicron variant</u>.
  - <u>Children with pre-existing conditions</u> are at higher risk for severe COVID-19 outcomes. Vaccination is especially recommended to keep children with chronic conditions and disabilities safe and healthy.
  - "Healthy" children with no pre-existing conditions can have severe COVID-19, too. During Omicron, <u>63% of children</u> under 5 years hospitalized with COVID-19 did not have any underlying conditions.

California COVID-19 Vaccination Program

IMM-1431 (4/22) Page 1

### **Request: Provider Feedback**

Please provide your feedback!

As we plan for the Friday, April 29, "Billing and Reimbursement" webinar:

What questions do you currently have related to billing and reimbursement?



### **Provider Office Hours Q&A**

During today's session, please use the **Q&A panel** to ask your questions so our subject matter experts can respond directly.







# **Enrollment and Outreach**

Nisha Gandhi, CDPH



### **Enrollment updates**

- There are 8,740 approved providers in the program.
- Continue to reach out to Vaccines for Children (VFC) providers and other pediatric providers.







#### KidsVaxGrant Vaccines for Children (VFC)



April 2022



# Physicians for a Healthy California (PHC) Archived Webinars

To learn more about the KidsVaxGrant, please visit

PHC KidsVaxGrant Archived Webinar.









Amy Lara will be leaving the Provider Enrollment team. Thank you for all your hard work, leadership, and enthusiasm for bringing providers into the COVID-19 Vaccination Program!

Amy, you will be missed!



# Storage & Handling

Alan Hendrickson, CDPH





#### **COVID-19 Vaccine Product Guide**



Check vaccine products before use to ensure proper storage and administration to appropriate ages.

Refer to CDC Product Guide for more information. Details may differ from packaging; EUA fact sheets supersede info on vials and carton.

	6mo-4 years old	5-11 years old	12+ yea	ars old	18+ ye	ears old
	Pfizer (Pediatric)	Pfizer (Pediatric)	Pfizer (Tris-sucrose)	Pfizer	Janssen (J&J)	Moderna
	Pending approvals			No longer distributed	A second s	
Packaging						
Doses Per Vial	10 doses	10 doses	6 doses	6 doses	5 doses	10-11 (or 14-15) doses*
Carton Size	100 doses	100 doses	60 doses	1170 (or 450) doses	50 doses	100 (or 140) doses
Minimum Standard Order	100 doses	100 doses	300 doses	N/A	100 doses	100 doses
Carton NDC #	59267-0078-4	59267-1055-4	<u>59267-1025-4</u>	59267-1000-2 (59267-1000-3)	59676-580-15	80777-273-99 (80777-273-98)
Storage Limits Before Pun	cture: Label vaccine with	expiration and use-by da	tes. Strictly comply with n	nanufacturer guidance.		
ULT (-90°C to -60°C)	Until expiration	Until expiration	Until expiration	Until expiration		
Thermal Shipper		٢	۷	Up to 30 days	۷	
Freezer	٩	۲	۲	Up to 14 days (-25°C to -15°C)	۲	Until expiration (-50°C to -15°C)
Refrigerator (2°C to 8°C)	Up to 10 weeks	Up to 10 weeks	Up to 10 weeks	Up to 31 days	Until expiration	Up to 30 days
Checking Expiration Dates <sup>†</sup>	TBD	<u>12 months</u> from the date printed on vial.	<u>12 months</u> from the date printed on vial.	Check <u>EUA fact</u> <u>sheet</u> for extended dates.	Check product website, QR code, or call 800-565-4008	Check product website or QR code

\* When extracting Moderna booster doses, the maximum number of doses from either vial presentation should not exceed 20 doses.

† Do not dispose of expired vaccine until checking with manufacturers for extended expiration dates.

California COVID-19 Vaccination Program

IMM-1399 (4/15/22)



### Shelf-life Extensions

- Both Janssen (J&J) and Pfizer have received a shelf-life extension!
- J&J's extension is for an additional two months
  - Check new expiry date: Janssen COVID-19 Vaccine Expiry Checker (vaxcheck.jnj)
- Pfizer's shelf-life extension gives the vaccine 12 months of total storage in ultracold.
  - Applies to the Pfizer Tris-sucrose (12+ years, gray cap and 5-11 years, orange cap) formulations
  - Check expiration dates in the Emergency Use Authorizations (EUAs)
    - Fact Sheet for Healthcare Providers Administering Vaccine EUA of Pfizer-BioNTech COVID-19
       Vaccine for 12 and older gray cap DO NOT DILUTE (fda.gov)
    - Fact Sheet for Healthcare Providers Administering Pfizer-BioNTech COVID-19 Vaccine for 5 through 11 years orange cap DILUTE (fda.gov)

# Pfizer 1170 (12+ Years, Purple Cap)

- Last of the Pfizer 1170 (12+ years, purple cap) is expiring in May (end of the month)!
- Make sure to look through your inventory for soon-to-expire vaccines
- Pfizer 1170 (12+ years, purple cap) expiry dates
  - <u>Healthcare Providers for 12 years of age and older, purple cap (must dilute) 03292022 (fda.gov)</u>



### Review: Pfizer Maroon Cap (6 months-4 years)

- 10 doses per vial and 10 vials per carton
- Stored in either ultracold temperatures (long-term) or refrigerator (10 weeks).
  - ° Should not be stored in a standard freezer.
- Requires diluent (2.2 mL)
  - Make sure staff know that this is a different volume of diluent than the Pfizer pediatric (5-11 years, orange cap) vaccine!
- <u>COVID-19 Vaccine Product Guide (eziz.org)</u>



### Moderna Pediatric Storage and Handling

- Modera has submitted data for their pediatric formulation (6 months to < 6 years)
- CDPH does not have details on the presentations yet but will let you know when we get them!
- Most of the storage requirements will be the same as the Moderna vaccine for adults:
  - 9 months at frozen temperatures (-50°C to -15°C)
  - ° 30 days at refrigerated temperatures (2° to 8°)



# Vaccine Management

Eric Norton, My Turn, and Claudia Aguiluz, CDPH



# SDIR is Merging with CAIR2

ľ	D

On April 25, San Diego Regional Immunization Registry (SDIR) will be merging with California Immunization Registry (CAIR2).



Don't worry! This will have minimal impact on any San Diego Provider. They will not need to re-enroll in CAIR.

In My Turn, you will not need to reach out to Carol Quinn to get an SD Site Code or enter an SD Site Code when setting up your Clinics.



Please use this website if you have additional questions on this transition.

#### **IIS Updates Reminder**

As a Clinic Manager, you may want to make updates to IIS Records. In My Turn, you can view, cancel, and edit some of the IIS Record information directly.



If you navigate to the IIS Status tab, you can make all the edits right there. You can also cancel or view records on the IIS Status tab.



If you need to request access for the IIS functionality by filling out the <u>My Turn IIS Request Form on EZIZ</u> and sending it via email to the Help Desk at <u>MyTurn.Clinic.HD@accenture.com</u>.



Reference this  $\bigcup$  Job Aid for assistance with IIS updates



#### IIS Updates for NEW CAIR Providers San Diego Providers



When updating IIS Records, each registry (CAIR, and RIDE) have different restrictions for editing Patient data. SDIR Providers will now need to reference the CAIR2 column for these updates. Reference this chart for assistance with IIS updates.

Reminder: This is the only information that can be updated in My Turn directly. Please reach out to the registry directly if you need to make any further changes.

	IIS R	egistry		
Data Fields	CAIR2	RIDE		
First Name	N	Y		
Middle Name	Y	Y		
Last Name	N	Y		Data field is not e
Email	Y	Y	N	via IIS Edit Functio
Phone	Y	Y		(CAIR2 only)
Date of Birth	N	Y	v	Data field is edita
Gender	N	Y		IIS Edit Functiona
Race	Y	Y		Data field is not se
Ethnicity	Y	Y	Y	registry, but is edit
Mother or Guardian's First Name	N	Y		IIS Edit Functionali
Industry	Y	Y		New value must b
Address	Y	Y	Y	14 days (past or fu
Client Type	Y	Y		the original value
Reasonable Accommodations	Y	Y		
CDC Questions	Y	Y		
Vaccine Administrator	N	Y		
Injection Site	Y	Y		
Route	Y	Y		
Date and Time of Vaccination	Y	Y		
Product	Y	Y		
Lot Number (Asset Name)	Y	Y		
Adverse Reactions	Y	Y		



#### Second Booster Dose Reminder

You do not need to do anything with appointments marked as "Booster 1" that should be marked as "Booster 2". These will all be updated in My Turn on May 4.

There are no additional steps required to ensure the CAIR records update properly, they will automatically detect the dose is Booster 2.



### Adding a Second Booster Dose Appointment

#### Is the patient immunocompromised?

Booster and Additional doses have been prioritized for moderately to severely immunocompromised people. This includes people who have:

- Been receiving active cancer treatment for tumors or cancers of the blood
- Received an organ transplant and are taking medicine to suppress the immune system
- Received a stem cell transplant within the last 2 years or are taking medicine to suppress the immune system
- Received CAR-T-cell therapy, hematocrit therapy (HCT)
- Moderate or severe primary immunodeficiency (such as DiGeorge syndrome, Wiskott-Aldrich syndrome)
- Advanced or untreated HIV infection
- Active treatment with high-dose corticosteroids or other drugs that may suppress your immune response



ł	Has it been at least 4 months since the patient's 1st Booster dose?						
	✓ Yes						
	No						

When going through the appointment flow, the questions will guide you through the process for the Second Booster dose. If your patient falls under the eligibility, the system will guide you to vaccinating the Second Booster dose.



# Adding a Second Booster Dose Appointment

COVID-19 Vaccine	
Patient Background	
* First Name	
Max	
Middle Name	
*Last Name	
Brown	
Suffix (Example - Jr, Sr, III)	
* Date of Birth 1	



accinate

You can also vaccinate Second Booster doses within the Walk-In Appointment flow. Similarly, based on eligibility you can select the appropriate booster dose.

Clinic Name 🚯	
ABC Clinic	
Which dose is this? 🚯	
Booster	
Which vaccine did the patient receive	e for their primary series?
the patient received a mix of international v	accine brands for their primary series, please reference the CDC guidance for international
accines.	
Johnson & Johnson	
Moderna	
) Pfizer	
WHO-EUL approved vaccine	
) Non-WHO-EUL approved vacc	ine
Is the patient immunocompromised?	
Yes	
No	
dditional doses have been prioritiz eople who have:	ed for moderately to severely immunocompromised people. This includes
<ul> <li>Been receiving active cancer tra</li> </ul>	eatment for tumors or cancers of the blood
0	nd are taking medicine to suppress the immune system
	within the last 2 years or are taking medicine to suppress the immune
system	
<ul> <li>Received CAR-T-cell therapy, h</li> </ul>	ematocrit therapy (HCT)
<ul> <li>Moderate or severe primary imr</li> </ul>	nunodeficiency (such as DiGeorge syndrome, Wiskott-Aldrich syndrome)
Advanced or untreated HIV infe	
Active treatment with high-dose	e corticosteroids or other drugs that may suppress your immune response
Which booster dose is this? 🚯	
None	
None	

48

# Janssen Ordering Reminders



 Placing an order for Janssen in the myCAvax system is the same as any other vaccine.



 Please include a comment including your need/rationale when placing a Janssen order.



 Providers should be reminded that orders should only be for the three criteria included in <u>CDC Clinical Interim</u> <u>Guidance</u>.



# **Ancillary Kit Updates**



#### Pfizer

**Opt-out option is available for all adult Ancillary Kits** including **Pfizer Trissucrose, ages 12+.** Starting this Provider Ordering cycle, you can use the drop down in myCAvax to opt-out!

Note: The opt-out option is not available for pediatric COVID-19 vaccine as Pfizer pediatric ancillary kits contain the diluent necessary to administer the vaccine.




#### Moderna

For all orders placed April 11-13, Moderna vaccine shipments now come with **one ancillary kit** (1 ancillary kit to 1 carton of vaccine) instead of 2 ancillary kits to 1 carton of vaccine.

All other shipments should come with the standard of 2.



# **Checking Order Status**



#### **Open Orders**

These orders have not been completed. The list below provides the status of your current orders. For approximate shipping date please refer to the shipping calendar .

+ ben	is • Sorted by Account Name • Filter	ed by All vaccine orders - S	satus, Order Record Type • Updated a few seconds ago					\$ * C
	Account Name 🕈 👘 🗸 🗸	Order Number 🗸 🗸	Vaccine Name	~	Status	$\sim$	Fulfilment Me 🗸	Delivery Method
1	Arendelle	00049761	Janssen (18 years - 100+ years) - 100/2 boxes of 80 - OOVID-19 Vaccine		Fulfilment Pending		Local	
2	Arendelle	00060761	Janssen (18 years - 100+ years) - 100/2 boxes of 80 - OOVID-19 Vaccine		Submitted		000	
s	Cinderella's Castle	00038449	Janssen (18 years - 100+ years) - 100/2 boxes of 50 - OOVID-19 Vaccine		Fulfilment Pending		000	
4	Cinderella's Castle	00047898	Janssen (18 years - 100+ years) - 100/2 boxes of 50 - OOVID-19 Vaccine		Fulfilment Pending		000	
	Cinderella's Castle	00048105	Janssen (18 years - 100+ years) - 100/2 boxes of 50 - OOVID-19 Vaccine		Fulfilment Pending		Local	Pickup

Providers, you can check the status of your vaccine orders awaiting processing right from the newly-designed myCAvax homepage!



#### VaccineFinder Alerts

	1075524	0504111404	202220000		100000000000000000000000000000000000000	1000	199115.0213000	202
			New Va	accine Order R	Request			
Need help? Review the	job aid(s) for p	placing vaccine ord	ler requests, COVI	D-19 product guide, shi	oping cadence, Reporting	Inventory to VF ar	d COVID Locating	Health
Stand: Calent Lanation D	Provide Inven	tory and Doses	Administered for	Vaccine you Intend	to Order			
step 1: Select Location, P	Tovide myen	tory and boocor		racenie jou miteria				
Select the location account,     Review your Reported Inventor     If the VaccineFinder inventor     Enter your On-Hand Inventory	ory that is autom ory is incorrect, u	atically pulled from the apdate your inventory	e latest data in Vaccin on the VaccineFinder	eFinder every morning at 9 website and remember to	am PST.			
Select the location account.     Review your Reported Invento     If the VaccineFinder invento	ory that is autom ory is incorrect, u	atically pulled from the apdate your inventory	e latest data in Vaccin on the VaccineFinder	eFinder every morning at 9 website and remember to	am PST.			



The Vaccine Order Request page will alert you if your VaccineFinder data is out-ofdate. These alerts update at 2 PM PT every day. Please update your VaccineFinder data every day. Starting 5/1, report VaccineFinder data weekly on Fridays!

If the alert displays, your LHD/MCE may reach out to you about your VaccineFinder information, please work with your LHD/MCE.



# APPENDIX



### myCAvax – Known Issues - Updated 4/15

#### ≻\_<sup>™</sup> Known Issues

# Unable to Edit Medical Staff While Location Application is In Progress

We will correct an issue where users with an established account in the midst of adding a new location to their organization and are unable to edit a Medical Staff's First Name, Last Name, and/or Email

# Updates to 'Edit' and 'Delete' Buttons in Section B 'Add Medical Staff' Screen

 We will correct an issue in which the attempt to remove Medical Staff from an in-progress Section B location application is met with a generic 'Error!' Message. Going forth, if users would like to remove Medical Staff, they will be prompted to contact the Provider Call Center

#### • Workaround/Next Steps

#### ✓ Fix: 4/28

In the meantime, if you find that your changes for a medical provider's First Name, Last Name, and/or Email are not saving, please contact the Provider Call Center so that they can make the changes for you

Change: 4/28







# **Additional Support**

Type of Support	Description	Updated 12.29.21
COVID-19 Provider Call Center	The COVID-19 Call Center for Providers and Local Health Departments is dedicated to medical provide their COVID-19 response, specifically addressing questions about State program requirements, enrolling distribution, including the Vaccine Marketplace.	
	Email: <u>covidcallcenter@cdph.ca.gov</u>	
	Phone: (833) 502-1245, Monday through Friday from 8AM–6PM	
Enrollment Support	For Provider enrollment support, please contact myCAvax Clinic Operations at	
	Email: myCAvaxinfo@cdph.ca.gov	
	Dedicated staff provide up-to-date information and technical support on the myCAvax system.	
myCAvax Help Desk	Email: myCAvax.HD@Accenture.com	
$\Box$	<ul> <li>Phone: (833)-502-1245, option 3, Monday through Friday 7AM–7PM, Saturday and Sunday 8AM-1P</li> </ul>	M
	For training opportunities: https://eziz.org/covid/education/	
My Turn Clinic Help Desk	For <b>onboarding support</b> (those in the process of onboarding): <u>myturnonboarding@cdph.ca.gov</u>	
	For <b>technical support</b> with My Turn Clinic for COVID-19 and flu vaccines: <u>MyTurn.Clinic.HD@Accentu</u> (833) 502-1245, option 4: Monday through Friday 7AM–7PM, Saturday and Sunday 8AM–1PM.	<u>ire.com</u> or
	For job aids, demos, and training opportunities: flu at <u>https://eziz.org/covid/myturn/flu/</u> and COVID at <u>htt</u>	ps://eziz.org/covid/myturn/
Archived Communications	For archived communications from the COVID-19 Provider Call Center about the California COVID-19 visit	Vaccination Program
<b>T</b>	Website: EZIZ Archived Communications	



#### **Provider Office Hours Q&A**

During today's session, please use the **Q&A panel** to ask your questions so our subject matter experts can respond directly.







Thank you!



#### Monday: <u>My Turn myCAvax Office Hours</u> Next session: Monday, April 25, 12PM

#### Friday: Provider Office Hours Next session: Friday, April 29, 9AM

Thank you to Provider Office Hours' Planning Team: Leslie Amani, Rachel Jacobs, Hailey Ahmed, Blanca Corona.

