California Department of Public Health Vaccines for Children Provider Webinar

Topic: Integrating COVID-19 Vaccination into Clinic Workflow



Wednesday, April 13, 2022 12:30PM – 1:00PM





Q&A: VFC Provider Webinar

During today's session, please unmute, raise your hand, or use the **Q&A panel** to ask your questions.





Housekeeping



Reminder! Please mute yourself when not speaking to avoid feedback and background noise.



This session is being recorded. Slides and recording will be available on https://eziz.org/covid/enrollment/vfc/



Agenda: Wednesday, April 13, 2022

No.	Item	Speaker	Time (PM)
1	Welcome	Leslie Amani (Moderator)	12:30 – 12:35
2	Lessons Learned: COVID-19 Vaccine Rollout	Anita Sankaran Piskun, MPH (Children's Health Orange County Primary Care Network)	12:35 – 12:40
	Questio	ons and Answers	12:40 – 12:55
3	Resources and Wrap-up	Leslie Amani (Moderator)	12:55 – 1:00



Lessons Learned: COVID-19 Vaccine Rollout

Anita Sankaran Piskun, MPH

Vice President, Children's Health Orange County (CHOC) Primary Care Network



Children's Health Orange County Primary Care Network

- 11 pediatric practices across 21 locations throughout Orange County and southern LA county
 - ~130 pediatricians
 - ~270K visits annually
 - + 8 urgent care sites
 - + Adolescent medicine
- Mix of Medi-Cal and commercial patients
 - VFC only practices
 - VFC + private stock practices
- Began administering vaccine as soon as it was available
 - ∘ 16+
 - · 12-15
 - · 5-11







Lessons Learned

- It is a vaccine similar to what you administer daily
 - Provider places order
 - Eligible patients may be offered COVID-19 vaccine during well childcare (WCC) or sick visit
 - Can be co-administered with other vaccines
 - Emergency Use Authorization (EUA) is provided (vs. providing a Vaccine Information Statement (VIS))
 - Nursing verifies vaccine reconciliation
 - Nursing prepares vaccine
 - Should verify COVID-19 vaccine vial with order and licensed nurse or provider
 - Patient will wait 15 minutes post vaccination before leaving
- Comprehensive training materials available through myCAvax
- Every dose needs to be documented in California Immunization Registry (CAIR)





Lessons Learned

- Ordering and Inventory Management
 - Order placed through county
 - No shortage so can order often
 - Pay attention to the materials that come with the vaccine
 - Dates printed on the vials are not always accurate
 - Instructions will indicate date of expiration and that should be noted
 - Establish process to track time vial punctured and time doses will expire
 - Strict usage and wastage reporting requirements
 - Maintain a COVID-19 vaccine stewardship log
- Space
 - Refrigerator space order what you can hold
 - Physical space 15-minute wait can be done in the exam room or waiting room, with a clinical person checking periodically to ensure no adverse event







Questions and Open Discussion

Please unmute, raise your hand, or use the Q&A panel to ask your questions.





Resources and Wrap-up

Leslie Amani, CDPH



VFC Provider Resources

- KidsVaxGrant
- VFC Provider Webpage
- Dispelling 6 Provider Myths about Joining the California COVID-19 Vaccination Program Flier

Providers CAN receive reimbursement for educating about or administering COVID-19 vaccine.

Reimbursement for Medi-Cal patients is \$40 per dose administration and contracted rates for commercial insurance plans. In the near future, vaccine counseling for Medi-Cal patients will be a reimbursable benefit.



Crucial COVID-19 Conversations Upcoming Webinars

Please join Dr. Atul Nakhasi, co-founder of #ThislsOurShot, for a webinar training on talking to colleagues about COVID-19 vaccines.


When: Friday, April 15 at 12:00PM-1:00PM

Register here!

The following week, please join Dr. Eric Ball, pediatrician, for a webinar training on talking to parents about COVID-19 vaccines for children.

When: Friday, April 22 at 12:00PM-1:00PM

Register here!



Additional Support

Type of Support	Description	Updated 12.29.21	
COVID-19 Provider Call Center	The COVID-19 Call Center for Providers and Local Health Departments is dedicated to medical provider COVID-19 response, specifically addressing questions about State program requirements, enrodistribution, including the Vaccine Marketplace.		
	Email: covidcallcenter@cdph.ca.gov		
	Phone: (833) 502-1245, Monday through Friday from 8AM–6PM		
Enrollment Support	For Provider enrollment support, please contact myCAvax Clinic Operations at		
	Email: myCAvaxinfo@cdph.ca.gov		
myCAyey Help Deck	Dedicated staff provide up-to-date information and technical support on the myCAvax system.		
myCAvax Help Desk	Email: myCAvax.HD@Accenture.com		
	 Phone: (833)-502-1245, option 3, Monday through Friday 7AM–7PM, Saturday and Sunday 8AM- 	1PM	
	For training opportunities: https://eziz.org/covid/education/		
My Turn Clinic Help Desk	For onboarding support (those in the process of onboarding): myturnonboarding@cdph.ca.gov		
The same risip bosing the property of the prop	For technical support with My Turn Clinic for COVID-19 and flu vaccines: MyTurn.Clinic.HD@Acce (833) 502-1245, option 4: Monday through Friday 7AM–7PM, Saturday and Sunday 8AM–1PM.	nture.com or	
	For job aids, demos, and training opportunities: flu at https://eziz.org/covid/myturn/flu/ and COVID at https://eziz.org/ and https://exiz.org/ and		





Thank you!

Upcoming Office Hours for Enrolled Providers:

- Provider Office Hours: Fridays, 9AM-10AM
 - Register <u>here</u>

- My Turn / myCAvax Office Hours: Mondays, 12PM-1PM
 - o Register here







Appendix



Pfizer-BioNTech COVID-19 Vaccine







Pfizer-BioNTech COVID-19 Vaccine Products

Check vaccine products before use to ensure proper storage and administration to appropriate ages.

Refer to CDC Product Guide for more information. Details may differ from packaging; EUA fact sheets supersede info on vials and carton.

	6mo-4 years old		5-11 years old		12+ years old	
	Pfizer (Pediatric)		Pfizer (Pediatric)		Pfizer (Tri-Sucrose)	Pfizer
	Pending approvals				Replaced purple cap product	No longer distributed
Packaging						
Doses Per Vial	10 doses		10 doses		6 doses	6 doses
Carton Size	100 doses		100 doses		60 doses	1170 (or 450) doses
Minimum Standard Order	100 doses		100 doses		300 doses	N/A
Carton NDC #	59267-0078-4		59267-1055-4		59267-1025-4	59267-1000-2 (59267-1000-3)
Storage Limits Before Punc	ture: Label vaccine with	ı e	expiration and use-by da	ate	s. Strictly comply with n	nanufacturer guidance.
ULT (-90°C to -60°C)	Until expiration		Until expiration		Until expiration	Until expiration
Thermal Shipper	3		(1)		(3)	Up to 30 days
Freezer	3		(1)		3	Up to 14 days (-25°C to -15°C)
Refrigerator (2°C to 8°C)	Up to 10 weeks		Up to 10 weeks		Up to 10 weeks	Up to 31 days
Checking Expiration Dates [†]	9 months (count month printed on vial as first month)		9 months (count month printed on vial as first month)		9 months (count month printed on vial as first month)	Check <u>EUA fact</u> <u>sheet</u> for extended dates.

COVID-19
Vaccine Product
Guide




California COVID-19 Vaccination Program



When extracting Moderna booster doses, the maximum number of doses from either vial presentation should not exceed 20 doses.

[†] Do not dispose of expired vaccine until checking with manufacturers for extended expiration dates.

COVID-19 Vaccine Product Training



Pfizer-BioNtech (Comirnaty)	Location Coordinator	Vaccinator	Provider
 Vaccine Preparation & Administration Ages 5-11 Ages 12+ (PDF) Mixing Diluent & Vaccine (PDF) Storage & Handling: Ages 5-11 Ages 12+ (PDF) 	✓	√	✓
Storage & Handling (PDF)Delivery Checklist (PDF)	✓	_	_






Vaccine Program Stewardship

- Strict vaccine inventory management
 - Vaccine
 - Diluent vials
- Daily accounting on use and waste
 - myCAvax
 - COVID locating Health

COVID 19 Vaccine Stewardship Log

Date	Vials Used daily	Doses Wasted daily	Vials Left daily	Staff Initials
otals				







- Patient
- Nurse Visit
- Family members/non-patient







Patient Visit

- Eligible patients may be offered the COVID-19 vaccine during a well child-care (WCC) or sick visit
- Can be co-administered with other vaccines
- Emergency Use Authorization (EUA) is given vs. a
 VIS
- Additional consent is not needed







Pfizer Emergency Use Authorization (EUA)

VACCINE INFORMATION FACT SHEET FOR RECIPIENTS AND CAREGIVERS
ABOUT COMIRNATY (COVID-19 VACCINE, mRNA)
AND THE PFIZER-BIONTECH COVID-19 VACCINE TO PREVENT CORONAVIRUS
DISEASE 2019 (COVID-19) FOR USE IN INDIVIDUALS 12 YEARS OF AGE AND
OLDER

FOR 12 YEARS OF AGE AND OLDER

You are being offered either COMIRNATY (COVID-19 Vaccine, mRNA) or the Pfizer-BioNTech COVID-19 Vaccine to prevent Coronavirus Disease 2019 (COVID-19) caused by SARS-CoV-2.

This Vaccine Information Fact Sheet for Recipients and Caregivers comprises the Fact Sheet for the authorized Pfizer-BioNTech COVID-19 Vaccine and also includes information about the FDA-licensed vaccine, COMIRNATY (COVID-19 Vaccine, mRNA) for use in individuals 12 years of age and older.

The FDA-approved COMIRNATY (COVID-19 Vaccine, mRNA) and the Pfizer-BioNTech COVID-19 Vaccine authorized for Emergency Use Authorization (EUA) for individuals 12 years of age and older, when prepared according to their respective instructions for use, can be used interchangeably.¹

VACCINE INFORMATION FACT SHEET FOR RECIPIENTS AND CAREGIVERS
ABOUT THE PFIZER-BIONTECH COVID-19 VACCINE TO PREVENT
CORONAVIRUS DISEASE 2019 (COVID-19) FOR USE IN INDIVIDUALS
5 THROUGH 11 YEARS OF AGE

FOR 5 THROUGH 11 YEARS OF AGE

Your child is being offered the Pfizer-BioNTech COVID-19 Vaccine to prevent Coronavirus Disease 2019 (COVID-19) caused by SARS-CoV-2.

This Vaccine Information Fact Sheet for Recipients and Caregivers comprises the Fact Sheet for the authorized Pfizer-BioNTech COVID-19 Vaccine for use in individuals 5 through 11 years of age.¹

The Pfizer-BioNTech COVID-19 Vaccine has received EUA from FDA to provide a two-dose primary series to individuals 5 through 11 years of age.


The Pfizer-BioNTech COVID-19 Vaccine has also received EUA from FDA to provide a third primary series dose to individuals 5 through 11 years of age who have been determined to have certain kinds of immunocompromise.





Nurse Visit

- COVID-19 vaccine can be given without a current well child-care (WCC)
- Primary Care Network (PCN) screening checklist is filled out by parent/guardian
 - Provider consulted with positive screening
- Provide Emergency Use Authorization (EUA)
- Recipient's temperature is taken: < 38 degrees
 Celsius proceed
- Recipient waits 15 minutes post administration
 - 30-minute wait if there were previous vaccine reactions







- Family members/non-patients
 - Eligible family members may be offered the COVID-19 vaccine during patient's visit
 - Primary Care Network (PCN) screening checklist is filled out by parent/guardian if less than 18 years of age
 - PCN Screening checklist is filled out by recipient <u>></u> 18 years of age
 - Emergency Use Authorization (EUA) provided







- Family members/non-patients
 - Screening checklist is reviewed by nursing
 - Recipient's temperature is taken: < 38 degrees Celsius proceed
 - Provide completed vaccine card
 - Recipient waits 15 minutes post administration
 - Screening form is retained for 3 years at administering site
 - Vaccine administration is entered manually into CAIR

Positive Screening Responses

Individual is referred to their own primary care provider for vaccination





COVID-19 Vaccine Administration Workflow - Patient Visit

- Provider places order
- EUA is provided
- Nursing verifies vaccine reconciliation
- Nursing prepares vaccine
 - Medical assistant brings COVID-19 vaccine vial to licensed staff member to verify
- Family/patient is asked to wait in the lobby 15 minutes post vaccination before leaving clinic





