



Vaccine Fact Sheet

Hepatitis A

Protects Against	Hepatitis A Virus	Hepatitis A Virus
Brand Name and Manufacturer	Havrix® GlaxoSmithKline (GSK)	VAQTA® Merck
Routine Schedule	Two (2) dose series: First dose at 12 months of age and second dose at least 6 months later	Two (2) dose series: First dose at 12 months of age and second dose at least 6 months later
Minimum Intervals	6 month minimum interval between dose 1 and 2	6 month minimum interval between dose 1 and 2
Approved for use in	Persons aged 12 months and older	Persons aged 12 months and older
Administration	Intramuscular (IM) injection	Intramuscular (IM) injection
Packaging	Vaccine is packaged as 10 single-dose 0.5mL vials or 10 single-dose 0.5mL pre-filled syringes without needles	Vaccine is packaged as 10 single-dose 0.5mL vials or 10 single-dose 0.5mL pre-filled syringes without needles
Storage	Refrigerate between 36°F and 46°F (2°C to 8°C) DO NOT FREEZE	Refrigerate between 36°F and 46°F (2°C to 8°C) DO NOT FREEZE
Full ACIP Recommendations	http://www.cdc.gov/mmwr/preview/mmwrhtml/rr5507a1.htm	http://www.cdc.gov/mmwr/preview/mmwrhtml/rr5507a1.htm
VFC Letter	http://www.cdph.ca.gov/programs/immunize/Documents/hepa.pdf	http://www.cdph.ca.gov/programs/immunize/Documents/hepa.pdf
Billing Codes	HDP code: 65 CPT code for vaccine: 90633 CPT code for administration*: 90460 Medi-Cal Fee-For-Service (FFS) administration: 90633 with modifiers –SK (high-risk) and –SL (VFC) ICD-10-CM code (encounter for immunization): Z23 *http://www.aafp.org/practice-management/payment/coding/admin.html	HDP code: 65 CPT code for vaccine: 90633 CPT code for administration*: 90460 Medi-Cal Fee-For-Service (FFS) administration: 90633 with modifiers –SK (high-risk) and –SL (VFC) ICD-10-CM code (encounter for immunization): Z23 *http://www.aafp.org/practice-management/payment/coding/admin.html
Comments	<ul style="list-style-type: none"> Licensed in 1995 Recommended for infants 6-11 months of age for travel outside the US, where protection against hepatitis A is recommended. Approved for post-exposure prophylaxis in persons ≥ 12 months. Children who are not fully vaccinated by 2 years of age can be vaccinated at subsequent visits. Adult formulation is also available. 	<ul style="list-style-type: none"> Licensed in 1996 Recommended for infants 6-11 months of age for travel outside the US, where protection against hepatitis A is recommended. Approved for post-exposure prophylaxis in persons ≥ 12 months. Children who are not fully vaccinated by 2 years of age can be vaccinated at subsequent visits. Adult formulation is also available.