## **Vaccine Fact Sheet: Respiratory Syncytial Virus (RSV)**



Topic	Abrysvo™	Arexvy	mRESVIA
Manufacturer	Pfizer	GSK	Moderna
Product Info	Detailed prescribing information	Detailed prescribing information	Detailed prescribing information
Protects Against	RSV	RSV	RSV
Approved Ages	<ul> <li>Individuals ≥60 years of age</li> <li>Pregnant individuals at 32-36 weeks gestational age</li> </ul>	<ul> <li>Individuals &gt; 60 years of age</li> <li>Individuals 50 through 59 years of age who are at increased risk</li> </ul>	<ul> <li>Individuals ≥ 60 years of age</li> </ul>
Routine Schedule & Intervals	<ul> <li>One dose for individuals ≥ 75 years of age</li> <li>One dose for individuals 60-74 years who are at increased risk of severe disease</li> <li>One dose for pregnant individuals at 32-26 weeks gestational age using seasonal administration (typically September to January).</li> </ul>	<ul> <li>One dose for individuals ≥ 75         years of age</li> <li>One dose for individuals 60-74         years who are at increased risk of         severe disease</li> </ul>	<ul> <li>One dose for individuals ≥ 75 years of age</li> <li>One dose for individuals 60-74 years who are at increased risk severe disease</li> </ul>
Administration	(IM) Intramuscular injection	(IM) Intramuscular injection	IM (intramuscular) injection
Packaging	Supplied as a vial of lyophilized antigen component and prefilled syringe of sterile water diluent. Requires reconstitution before use.  OR  Vaccine is packaged as a vial of lyophilized antigen component and vial of sterile water diluent. Requires reconstitution before use.	Supplied as a vial of lyophilized antigen component and vial of adjuvant suspension. Requires reconstitution before use.  Supplied in carton of 10 doses.	Supplied as a pre-filled plastic syringe.  Supplied in carton of 1 OR 10 doses.

## **Vaccine Fact Sheet: Respiratory Syncytial Virus (RSV)**

Topic	Abrysvo™	Arexvy	mRESVIA
	Supplied in cartons of 1, 5, or 10 kits.		
Dosage	0.5mL single dose after reconstitution	0.5mL single dose after reconstitution	0.5 mL single dose
Storage	Before reconstitution:  Store refrigerated at 2°C to 8°C (36°F to 46°F) in the original carton.  Do not freeze. Discard if the carton has been frozen.	Before reconstitution:  Store refrigerated at 2°C to 8°C (36°F to 46°F) in the original carton.  Do not freeze. Discard if the antigen or adjuvant suspension components have been frozen.	Store refrigerated at 2°C to 8°C (36°F to 46°F) for up to 30 days prior to use.  After removal from refrigerated conditions, syringes may be stored at 8°C to 25°C (46°F to 77°F) for a total of 24 hours. Discard if not used within this time.  Syringes should not be returned to the refrigerator after being thawed at room temperature. Do not refreeze once thawed. Do not shake.
Expiration Date	18 months from manufacture date	24 months from manufacture date	18 months from manufacture date
Full ACIP Recommendations	RSV Vaccine ACIP Recommendations  RSV (Respiratory Syncytial Virus) Immunizations	RSV Vaccine ACIP Recommendations  RSV (Respiratory Syncytial Virus) Immunizations	RSV ACIP Vaccine Recommendations  RSV (Respiratory Syncytial Virus) Immunizations
VIS	RSV VIS	RSV VIS	RSV VIS
Program Letter	<u>VFA Letter</u>	<u>VFA Letter</u>	VFA Letter
Billing Codes	Billing Code 90471 NDC Codes 0069-0207-01, 0069-0250-01, 0069-0344-01, 0069-0344-05, 0069-0344-10, 0069-0344-21 HCPCS code: 90678	Billing Code 90471 NDC Codes 58160-723-03, 58160-744-03, 58160-848-11 HCPCS code 90679	Billing Code 90683 NDC Codes 80777-345-01, 80777-345-90, 80777-345-96 HCPCS code 90683

California Department of Public Health, Immunization Branch

IMM-1511 (9/13/24)

## **Vaccine Fact Sheet: Respiratory Syncytial Virus (RSV)**

Topic	Abrysvo™	Arexvy	mRESVIA
	See Fall Respiratory Vaccine Codes for more info	See Fall Respiratory Vaccine Codes for more info	See Fall Respiratory Vaccine Codes for more info
Comments	Licensed in 2023	Licensed in 2023	Licensed in 2024

Refer to <u>Vaccine Fact Sheets</u> (EZIZ.org/Resources/VaccineFactSheets).