

FluMist® Replacement Program for CDC

2025-26 Season

How It Works

1. Contact the FluMist® Replacement Program for CDC at 1-877-633-7375 or flumistreplacement@mckesson.com and provide the number of doses you need replaced, how many boxes you will need shipped, and your Provider Identification Number (PIN).
2. Follow all instructions as provided by McKesson Specialty Health (“MSH”) to pack and ship the expiring doses to the MSH Distribution Center.
 - a. Pack doses to ship or be picked up by the carrier the following business day. Expired doses of FluMist® do not have to be returned cold.
3. Doses will be replaced in increments of 10. So, the minimum number of doses that can be replaced is 10. Doses from multiple eligible lot #'s can be used to achieve a multiple of 10.
 - a. Doses that are less than a multiple of 10 will be rounded down to the nearest 10.
4. Once doses arrive at the MSH Distribution Center, they will be validated against your initial request.
 - a. If doses received match the request, replacement doses will ship within 72 business hours.
5. If doses received are more than the request, only replacement doses that were initially requested will be shipped within 72 business hours.
 - a. Additional doses received in excess of the request will not be replaced.
6. If doses received are less than requested, only the doses received (rounded down to the nearest multiple of 10) will be replaced.
7. Requests for replacement of expiring doses may be made no more than 15 days prior to the expiration date stamped on the sprayer.
8. Requests may be made starting at 7am CST on Monday, December 1, 2025, through Friday, January 30, 2026, at 7:00pm CST.
9. All expired/expiring doses must be received by McKesson by Saturday, February 14, 2026. Replacement product will not ship until expired/expiring doses are received.
 - a. Any doses received after February 14, 2026, will not be replaced.

Eligibility Guidelines

- Doses must have been purchased on the CDC contract. Private doses are not eligible for the FluMist® Replacement Program for CDC.

FluMist® Replacement Program for CDC 2025-26 Season

- Product expiration date must be on or before February 1, 2026.
- **AstraZeneca will replace expired doses of FluMist® while supplies last.**

Important Dates to Remember

| Date | Reminder |
|--|---|
| Monday, December 1, 2025 | First day to make replacement requests |
| No more than 15 days prior to expiration | Requests to replace expiring doses can be made |
| Friday, January 30, 2026 | Last day to make replacement requests |
| Saturday, February 14, 2026 | All expired doses must be received at MSH Distribution Center for replacement |

Contact Information

FluMist® Replacement Program for CDC
1-877-633-7375
flumistreplacement@mckesson.com
7 am-7 pm CST Mon-Fri